


INTERNATIONAL FASTENERS, INC.

"The Distributor's Choice"

Quality Construction Fasteners




Full Line Fastener



Product Guide

Stock Locations and Ship Points



Warranty & Limitation of Liability

All warranties of the products listed herein expressed or implied, including the warranties of merchantability and fitness for a particular purpose are specially and expressly excluded with the following exception: At its sole discretion, International Fasteners, Inc. will replace any product which it considers defective in material or workmanship except for normal wear and tear within 6 months from date of purchase from International Fasteners, Inc. Also, International Fasteners, Inc. shall not be liable for any injury, loss or damage direct, indirect, incidental, consequential or that arising out of the use of, misuse of, negligence, accident, or inability to use any Daggerz™ brand product from International Fasteners, Inc.

Return Policy

After written authorization is received from International Fasteners, Inc., material returned for credit or exchange will be accepted provided the following conditions are met:

- Material must have been purchased within 120 days of return.

- Material must be in resalable condition in original packaging.

- Material returned for credit or exchange will be valued less 20% restocking charge.

- Material must be returned to International Fasteners, Inc. prepaid.

Freight on replacement material is subject to the freight policy in effect at time of that shipment. Any special or custom order is final.

Terms and Conditions

Payment terms: Net 30 Days (subject to credit approval). Discounts available.

Credit Card payments are accepted.

Freight policies: determined by geographic location.

Pricing is subject to change without notification.

Stock quoted is subject to prior sale.

Quantities and weights listed are approximate.

All Information listed should be verified for reliability if necessary.



INTERNATIONAL FASTENERS, INC.

International Fasteners, Inc. was founded in 1996 and soon established the Daggerz™ Brand of construction fasteners. With years of service to the fastener community, the team continued to grow what once began as a rep agency to the fastener industry into **"The Distributor's Choice"** throughout the United States.

IFI has continued to grow the Daggerz™ brand into one of the most comprehensive selections of quality construction fasteners sold exclusively through the distribution channel. Our offering includes an extensive line of self drill screws, drywall screws, deck screws, wood screws, concrete screws, post frame screws, needle point screws, panel clip screws, specialty aluminum industry screws, bonded washers, bits and threaded rod. Our Daggerz™ brand screws are packaged in color coded cartons for ease of material identification.

We have eight locations available offering distributors prompt delivery of high-quality products all at competitive pricing. We are one of the largest importers of self drilling screws and we were the original industry leader to offer our screws in plastic buckets. International Fasteners, Inc.'s success is built on our dedication to service, our loyal distributors, the relationships with our quality suppliers, and most importantly, the true professionals who sell, service, and ship our products every day.

IFI specializes in programs that are customized to meet the specific needs of our distributors. We can do small packaging programs and with convenient shipping points, we are "large enough to handle your business, and small enough to care." Give us a try and **Make us Your Choice** today, call (888) 241-0203.



Preferred Supplier Status



Eight Stocking Locations

Corporate-Tampa 1341 Massaro Blvd Tampa, FL 33619	Charlotte 11540-D Cordage Street Charlotte, NC 28273	Chicago 2801 Alft Lane Elgin, IL 60124	Dallas 1110 Pamela Drive Euless, TX 76040
Houston 4660 Pine Timbers, Ste 150 Houston, TX 77041	Los Angeles 1940 S Carlos Ave Ontario, CA 91761	Philadelphia 111 Darby Commons Ct Folcroft, PA 19032	Salt Lake City 1511 South 700 West Salt Lake City, UT 84104

Industry Affiliations



Y
O
U
R

C
H
O
I
C
E

Table of Contents

SELF DRILL

5 - 20

ICC (ES)	Hex Washer Head Zinc and Dagger-Guard Coating™	5 - 6
	Hex Washer Head 410SS and 410SS with Bonded Washer	7 - 8
ICC (ES)	Hex Washer Head Dagger-Guard Coating™ with Bonded Washer	9
	Hex Flange Head with Rubber Washer Dagger-Guard Coating™	10
	Phillips Pan Head Zinc	11
	Phillips Pan Head 410SS	12
	Phillips Flat Head 410SS	12
	Phillips Flat Head Zinc	13
	Phillips Oval Head Zinc	14
	Square Pan Head Zinc	14
	Phillips Bugle with Pilot Point and Phillips Square Flat Dagger Ultra-Guard Coating™	14
	Phillips Thin Wafer Head Plymetal and with Wings Dagger-Guard Coating™	15
	Phillips Flat with Wings #4 Point 410SS	15
	Phillips and Star Flat with Wings #4 Point Dagger Ultra-Guard Coating™	16
ICC (ES)	Hex Washer Head #5 Point and #1 Stitch Dagger-Guard Coating™	17
ICC (ES)	Hex Washer Head #5 Point with Bonded Washer Dagger-Guard Coating™	18
	Hex Washer Head 305SS	19
	Hex Washer Head #5 Point, #1 Stitch, #2 Pilot 410SS Dagger-Guard Coating™	20

DRYWALL

21 - 27

	Phillips Bugle Coarse Thread Phosphate, Yellow Zinc, and Zinc	21
	Phillips Bugle Laminating Phosphate	21
	Phillips Bugle Fine Thread, Hi Low Thread Phosphate and Zinc	22
	Phillips Pan Framing Sharp Phosphate	22
	Square Trim Sharp Phosphate	22
ICC (ES) LISTED	Self Drill Phillips Bugle Phosphate, Zinc, and Dagger-Guard Coating™	23
	Self Drill Phillips Pan Framing Phosphate and Zinc	23
	Self Drill Square Trim Zinc	23
ICC (ES) LISTED	Self Drill Phillips Wafer Cement Board Dagger-Guard Coating™	24
	Self Drill Phillips Wafer Fiber Cement Board with Wings Dagger-Ceramic Coating	24
	Cement Board Phillips Wafer Spade Point Dagger-Guard Coating™	24
	Wafer Sharp Phillips Modified Truss Zinc and Type 17 305SS	25
ICC (ES) LISTED	Wafer Self Drill Phillips Modified Truss Phosphate, Zinc, and 410SS	26
	DRYWALL NAILS, DRYWALL MESH TAPE, WINDOW FILM, STUB NAILS	27

ACCOUSTICAL

28

	PRE-TIE WIRE, HANGER WIRE, Eyelag Self Drill Zinc, Eyelag Sharp Point Zinc	28
--	--	----



Table of Contents


ROOFING	29 - 32
ROOFING NAILS, Smooth Shank EG and Ring Shank SS, Bulk and Coil	29
POST FRAME	30
Hex Washer Head Type 17 with/without Bonded Washer Dagger-Guard Coating™	30
Hex Head Type AB with Bonded Washer, Dagger-Guard Coating™	30
PANEL CLIP	31 - 32
Square Phillips Pancake Type 17 Dagger-Guard Coating™ and 302SS	31
Square Phillips Pancake Self Drill Dagger-Guard Coating™ and 410SS	32
NEEDLE POINT, DAGGER-ZIP	33
WOOD WORKING	34 - 36
Phillips Slotted Truss Head Break-Away Zinc	34
Square Face Frammer Type 17 Lubricized	34
Square Phillips Combo Flat with Nibs Type 17 Zinc	34
Phillips Flat Coarse Hinge Zinc and Nickel	34
Square Flat with Nibs Type 17 Lubricized, Zinc, and Black Oxide	35
Pozi Flat with Nibs Conformat Coarse Sharp Point Zinc	35
Phillips Flat with Nibs Type 17 Lubricized and Zinc	36
Square Round Washer Head Type 17 Lubricized and Zinc	36
DECK	37 - 40
Phillips Bugle Head, Flat Head with Nibs Type 17 Dacro and ACQ	37
Square Bugle Head, Flat Head with Nibs Type 17 Dacro and ACQ	37
Star Flat Head and Trim Head with Nibs Type 17 Yellow Zinc and ACQ	38
Square Flat Head, Square Trim Head with Nibs Type 17 305SS	39
Square Button Head, Star Button Head Composite Type 17 305SS	39
Star Trim Head, Star Flat Head with Nibs Type 17 305SS and 316SS	40
CONCRETE	41 - 42
Hex Washer Head, Hex Flange Head Dagger-Guard Coating™	41
Phillips Flat Head, Phillips Trim Head Dagger-Guard Coating™	42
SPECIALTY - ALUMINUM INDUSTRY	43 - 44
Unslotted Hex Washer Head Sheet Metal with Serrations Zinc and Dagger-Guard	43
Hex Washer Head with 3/4 O.D. Aluminum Washer, Dagger-Guard Coating™	43
Hex Washer Head Self Drill, Dagger-Guard and Dagger-Ceramic Coating	44
WASHERS	44
BITS & THREADED ROD	45 - 46
TECHNICAL INFORMATION	47 - 49
CUSTOM MILL AND PACKAGING INFORMATION	50



**Y
O
U
R

C
H
O
I
C
E**





Daggez™ Self Drill Screws Hex Washer Head Zinc and Dagger-Guard Coating™



**S
E
L
F

D
R
I
L
L**

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	DAGGER-GUARD	Drive	Drill Point
6 x 3/8	20	15,000	38	SDZ0600038	-	1/4"	#2 PT
6 x 1/2	20	15,000	38	SDZ060012	-	1/4"	#2 PT
6 x 5/8	20	10,000	27	SDZ060058	-	1/4"	#2 PT
6 x 3/4	20	10,000	33	SDZ06034	-	1/4"	#2 PT
6 x 1	20	10,000	38	SDZ06100	-	1/4"	#2 PT
8 x 1/2	18	10,000	32	SDZ080012	SDCTSLV080012	1/4"	#2 PT
8 x 9/16*	18	10,000	38	SDZ08001916	-	1/4"	#2 PT
8 x 5/8	18	10,000	39	SDZ080058	-	1/4"	#2 PT
8 x 3/4	18	10,000	45	SDZ08034	SDCTSLV08034	1/4"	#2 PT
8 x 1	18	7,500	38	SDZ08100	SDCTSLV08100	1/4"	#2 PT
8 x 1-1/4	18	5,000	31	SDZ081104	-	1/4"	#2 PT
8 x 1-1/2	18	5,000	36	SDZ08112	-	1/4"	#2 PT
8 x 2	18	3,000	28	SDZ08200	-	1/4"	#2 PT
8 x 2-1/2	18	2,000	22	SDZ08212	-	1/4"	#2 PT
10 x 1/2	16	10,000	49	SDZ100012	SDCTSLV100012	5/16"	#2 PT
10 x 5/8	16	7,500	38	SDZ100058	SDCTSLV100058	5/16"	#3 PT
10 x 3/4*	16	7,000	37	SDZ100348	-	1/4"	#3 PT
10 x 3/4	16	7,000	42	SDZ10034	SDCTSLV10034	5/16"	#3 PT
10 x 1	16	5,000	36	SDZ1010	SDCTSLV1010	5/16"	#3 PT
10 x 1-1/4	16	3,500	30	SDZ101104	SDCTSLV101104	5/16"	#3 PT
10 x 1-1/2	16	3,000	30	SDZ10112	SDCTSLV10112	5/16"	#3 PT

**with serrations under head*

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	DAGGER-GUARD	Drive	Drill Point
10 x 3/4 Max	16	6,000	40	SDZ10034MAX	-	5/16"	#3 PT
10 x 3/4 Max	16	6,000	41	SDZ10034MAXS	-	5/16"	#3 PT
10 x 3/4 Max	16	5,000	40	SDZ10034SMAXS	-	5/16"	#3 PT
10 x 1 Max	16	3,000	25	SDZ1010MAXS	-	5/16"	#3 PT
10 x 1-1/2 Max	16	2,500	28	SDZ10112MAXS	-	5/16"	#3 PT

Max Hd ht .139-.155

Super Max Hd ht .172-.190

Items with part numbers ending in S have serrations under head.

Max, MaxS and Super MaxS have higher heads for increased driving stability.

Daggerz™ Self Drill Screws

Hex Washer Head

Zinc and Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	DAGGER-GUARD	Drive	Drill Point
10 x 1-3/4	16	2,500	29	SDZ10134	-	5/16"	#3 PT
10 x 2	16	2,000	25	SDZ1020	SDCTSLV1020	5/16"	#3 PT
10 x 2-1/2	16	2,000	30	SDZ10212	SDCTSLV10212	5/16"	#3 PT
10 x 3	16	1,500	27	SDZ1030	-	5/16"	#3 PT
12 x 3/4	14	5,000	38	SDZ12034	SDCTSLV12034	5/16"	#3 PT
12 x 1	14	3,500	33	SDZ1210	SDCTSLV1210	5/16"	#3 PT
12 x 1-1/4	14	3,500	39	SDZ121104	SDCTSLV121104	5/16"	#3 PT
12 x 1-1/2	14	2,500	31	SDZ12112	SDCTSLV12112	5/16"	#3 PT
12 x 2	14	2,000	32	SDZ1220	SDCTSLV1220	5/16"	#3 PT
12 x 2-1/2	14	1,000	20	SDZ12212	SDCTSLV12212	5/16"	#3 PT
12 x 3	14	1,000	23	SDZ1230	SDCTSLV1230	5/16"	#3 PT
12 x 4	14	500	15	-	SDCTSLV1240	5/16"	#3 PT
14 x 3/4	14	3,500	43	SDZ14034	SDCTSLV14034	3/8"	#3 PT
14 x 1	14	2,500	36	SDZ1410	SDCTSLV1410	3/8"	#3 PT
14 x 1-1/4	14	2,000	34	SDZ141104	SDCTSLV141104	3/8"	#3 PT
14 x 1-1/2	14	2,000	39	SDZ14112	SDCTSLV14112	3/8"	#3 PT
14 x 2	14	1,500	35	SDZ1420	SDCTSLV1420	3/8"	#3 PT
14 x 2-1/2	14	1,000	28	SDZ14212	SDCTSLV14212	3/8"	#3 PT
14 x 3	14	1,000	33	SDZ1430	SDCTSLV1430	3/8"	#3 PT
14 x 4	14	500	22	SDZ1440	SDCTSLV1440	3/8"	#3 PT
14 x 5	14	500	26	SDZ1450	SDCTSLV1450	3/8"	#3 PT
14 x 6	14	500	31	SDZ1460	SDCTSLV1460	3/8"	#3 PT
14 x 7	14	250	18	SDZ1470	SDCTSLV1470	3/8"	#3 PT
14 x 8	14	250	20	SDZ1480	SDCTSLV1480	3/8"	#3 PT



**S
E
L
F

D
R
I
L
L**

Recommended for metal to metal applications.

STEEL GAUGE	26	25	22	20 (drywall)	20 (structural)	18	16	14	12	10
THICKNESS (IN)	0.0163	0.0179	0.0269	0.0296	0.0329	0.0428	0.0538	0.0677	0.0966	0.1180
THICKNESS (MIL)	16	18	27	30	33	43	54	68	97	118

Dagger-Guard Coating™ provides excellent corrosion resistance.



ESR 4229 and ESL 1128



Daggerz™ Self Drill Screws

Hex Washer Head

410 Stainless Steel



S
E
L
F

D
R
I
L
L

Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS	Drive	Drill Point
8 x 1/2	18	10,000	34	SDSS080012	1/4"	#2 PT
8 x 5/8	18	10,000	37	SDSS080058	1/4"	#2 PT
8 x 3/4	18	10,000	42	SDSS08034	1/4"	#2 PT
8 x 1	18	5,000	26	SDSS08100	1/4"	#2 PT
10 x 1/2	16	7,500	35	SDSS10012	5/16"	#2 PT
10 x 3/4	16	5,000	28	SDSS10034	5/16"	#3 PT
10 x 1	16	5,000	35	SDSS1010	5/16"	#3 PT
10 x 1-1/4	16	3,500	30	SDSS101104	5/16"	#3 PT
10 x 1-1/2	16	3,000	28	SDSS10112	5/16"	#3 PT
10 x 2	16	2,000	25	SDSS1020	5/16"	#3 PT
10 x 3	16	1,000	18	SDSS1030	5/16"	#3 PT
12 x 3/4	14	5,000	39	SDSS12034	5/16"	#3 PT
12 x 1	14	2,500	23	SDSS1210	5/16"	#3 PT
12 x 1-1/4	14	2,500	27	SDSS121104	5/16"	#3 PT
12 x 1-1/2	14	2,500	31	SDSS12112	5/16"	#3 PT
12 x 2	14	1,500	24	SDSS1220	5/16"	#3 PT
12 x 2-1/2	14	1,000	20	SDSS12212	5/16"	#3 PT
12 x 3	14	1,000	23	SDSS1230	5/16"	#3 PT
14 x 3/4	14	2,500	30	SDSS14034	3/8"	#3 PT
14 x 1	14	2,500	35	SDSS1410	3/8"	#3 PT
14 x 1-1/4	14	2,000	34	SDSS141104	3/8"	#3 PT
14 x 1-1/2	14	2,000	37	SDSS14112	3/8"	#3 PT
14 x 2	14	1,500	35	SDSS1420	3/8"	#3 PT
14 x 2-1/2	14	1,000	38	SDSS14212	3/8"	#3 PT
14 x 3*	14	1,000	33	SDSSCT1430	3/8"	#3 PT
14 x 4*	14	500	22	SDSSCT1440	3/8"	#3 PT
14 x 5*	14	500	21	SDSSCT1450	3/8"	#3 PT
14 x 6*	14	500	31	SDSSCT1460	3/8"	#3 PT
14 x 7*	14	250	18	SDSSCT1470	3/8"	#3 PT
14 x 8*	14	250	20	SDSSCT1480	3/8"	#3 PT

**Dagger-Guard Coating™ over 410 Stainless Steel*

Daggerz™ Self Drill Screws

Hex Washer Head with Bonded Washer

410 Stainless Steel




Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS	Drive	Drill Point
8 x 1/2	18	5,000	27	NEOSDSS08012	1/4"	#2 PT
8 x 5/8	18	5,000	33	NEOSDSS080058	1/4"	#2 PT
8 x 3/4	18	5,000	39	NEOSDSS08034	1/4"	#2 PT
8 x 1	18	3,500	25	NEOSDSS08100	1/4"	#2 PT
10 x 1/2	16	5,000	31	NEOSDSS10012	5/16"	#2 PT
10 x 3/4	16	5,000	39	NEOSDSS10034	5/16"	#3 PT
10 x 1	16	4,000	36	NEOSDSS1010	5/16"	#3 PT
10 x 1-1/4	16	3,500	35	NEOSDSS101104	5/16"	#3 PT
10 x 1-1/2	16	3,000	33	NEOSDSS10112	5/16"	#3 PT
10 x 2	16	2,000	29	NEOSDSS1020	5/16"	#3 PT
10 x 3	16	1,000	19	NEOSDSS1030	5/16"	#3 PT
12 x 3/4	14	3,000	31	NEOSDSS12034	5/16"	#3 PT
12 x 1	14	2,500	29	NEOSDSS1210	5/16"	#3 PT
12 x 1-1/4	14	2,500	33	NEOSDSS121104	5/16"	#3 PT
12 x 1-1/2	14	2,500	38	NEOSDSS12112	5/16"	#3 PT
12 x 2	14	1,500	28	NEOSDSS1220	5/16"	#3 PT
12 x 2-1/2	14	1,000	22	NEOSDSS12212	5/16"	#3 PT
12 x 3	14	1,000	25	NEOSDSS1230	5/16"	#3 PT
14 x 3/4	14	2,500	38	NEOSDSS14034	3/8"	#3 PT
14 x 1	14	2,500	43	NEOSDSS1410	3/8"	#3 PT
14 x 1-1/4	14	2,000	40	NEOSDSS141104	3/8"	#3 PT
14 x 1-1/2	14	1,500	33	NEOSDSS14112	3/8"	#3 PT
14 x 2	14	1,500	40	NEOSDSS1420	3/8"	#3 PT
14 x 2-1/2	14	1,000	31	NEOSDSS14212	3/8"	#3 PT
14 x 3*	14	1,000	38	NEOSDSSCT1430	3/8"	#3 PT
14 x 4*	14	500	23	NEOSDSSCT1440	3/8"	#3 PT
14 x 5*	14	500	21	NEOSDSSCT1450	3/8"	#3 PT
14 x 6*	14	500	32	NEOSDSSCT1460	3/8"	#3 PT
14 x 7*	14	250	19	NEOSDSSCT1470	3/8"	#3 PT
14 x 8*	14	250	21	NEOSDSSCT1480	3/8"	#3 PT

**Dagger-Guard Coating™ over 410 Stainless Steel*



S
E
L
F

D
R
I
L
L



Daggerz™ Self Drill Screws

Hex Washer Head with Bonded Washer

Dagger-Guard Coating™




**S
E
L
F

D
R
I
L
L**

Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Washer O.D.	Drive	Drill Point
8 x 3/4	18	3,500	23	NEOSDCT08034	1/2"	1/4"	#2 PT
8 x 1	18	3,500	25	NEOSDCT08100	1/2"	1/4"	#2 PT
8 x 1-1/4	18	3,000	23	NEOSDCT081104	1/2"	1/4"	#2 PT
8 x 1-1/2	18	2,500	23	NEOSDCT08112	1/2"	1/4"	#2 PT
10 x 3/4	16	5,000	38	NEOSDCT10034	1/2"	5/16"	#3 PT
10 x 1	16	4,000	36	NEOSDCT1010	1/2"	5/16"	#3 PT
10 x 1-1/4	16	3,500	36	NEOSDCT101104	1/2"	5/16"	#3 PT
10 x 1-1/2	16	3,000	33	NEOSDCT10112	1/2"	5/16"	#3 PT
10 x 2	16	2,000	29	NEOSDCT1020	1/2"	5/16"	#3 PT
10 x 2-1/2	16	1,500	25	NEOSDCT10212	1/2"	5/16"	#3 PT
10 x 3	16	1,000	21	NEOSDCT1030	1/2"	5/16"	#3 PT
12 x 3/4	14	3,000	31	NEOSDCT12034	9/16"	5/16"	#3 PT
12 x 1	14	3,000	35	NEOSDCT1210	9/16"	5/16"	#3 PT
12 x 1-1/4	14	3,000	39	NEOSDCT121104	9/16"	5/16"	#3 PT
12 x 1-1/2	14	2,500	37	NEOSDCT12112	9/16"	5/16"	#3 PT
12 x 2	14	1,500	28	NEOSDCT1220	9/16"	5/16"	#3 PT
12 x 2-1/2	14	1,000	22	NEOSDCT12212	9/16"	5/16"	#3 PT
12 x 3	14	1,000	26	NEOSDCT1230	9/16"	5/16"	#3 PT
12 x 4	14	500	17	NEOSDCT1240	9/16"	5/16"	#3 PT
14 x 3/4	14	3,000	46	NEOSDCT14034	5/8"	3/8"	#3 PT
14 x 1	14	2,500	44	NEOSDCT1410	5/8"	3/8"	#3 PT
14 x 1-1/4	14	2,000	40	NEOSDCT141104	5/8"	3/8"	#3 PT
14 x 1-1/2	14	1,500	33	NEOSDCT14112	5/8"	3/8"	#3 PT
14 x 2	14	1,500	39	NEOSDCT1420	5/8"	3/8"	#3 PT
14 x 2-1/2	14	1,000	32	NEOSDCT14212	5/8"	3/8"	#3 PT
14 x 3	14	1,000	36	NEOSDCT1430	5/8"	3/8"	#3 PT
14 x 4	14	500	23	NEOSDCT1440	5/8"	3/8"	#3 PT
14 x 5	14	500	28	NEOSDCT1450	5/8"	3/8"	#3 PT
14 x 6	14	500	32	NEOSDCT1460	5/8"	3/8"	#3 PT
14 x 7	14	250	19	NEOSDCT1470	5/8"	3/8"	#3 PT
14 x 8	14	250	21	NEOSDCT1480	5/8"	3/8"	#3 PT

Daggerz™ Self Drill Screws Hex Flange Head with Rubber Washer Dagger-Guard Coating™




Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive	Drill Point
10 x 3/4	16	4,000	38	FLGSD3CT10034	5/16"	#3 PT
10 x 1	16	3,000	31	FLGSD3CT1010	5/16"	#3 PT
10 x 1-1/2	16	3,000	32	FLGSD3CT10112	5/16"	#3 PT
12 x 3/4	14	3,000	38	FLGSD3CT12034	5/16"	#3 PT
12 x 1	14	3,000	44	FLGSD3CT1210	5/16"	#3 PT
12 x 1-1/4	14	2,500	41	FLGSD3CT121104	5/16"	#3 PT
12 x 1-1/2	14	2,000	36	FLGSD3CT12112	5/16"	#3 PT
12 x 2	14	1,500	32	FLGSD3CT1220	5/16"	#3 PT
12 x 3	14	1,000	23	FLGSD3CT1230	5/16"	#3 PT
14 x 3/4	14	2,500	37	FLGSD3CT14034	3/8"	#3 PT
14 x 1	14	2,000	35	FLGSD3CT1410	3/8"	#3 PT
14 x 1-1/4	14	1,500	31	FLGSD3CT141104	3/8"	#3 PT
14 x 1-1/2	14	1,000	23	FLGSD3CT14112	3/8"	#3 PT
14 x 2	14	1,000	27	FLGSD3CT1420	3/8"	#3 PT
14 x 3	14	1,000	33	FLGSD3CT1430	3/8"	#3 PT



Daggerz™ Self Drill Screws Hex Flange Head with Rubber Washer #2 Pilot Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive	Drill Point
12 x 1-1/4	14	2,500	40	FLGSD2CT121104	5/16"	#2 PT

Daggerz™ Self Drill Screws Hex Flange Head with Rubber Washer #1 Stitch Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive	Drill Point
1/4 x 7/8	14	2,500	37	FLGSD1CT14078	5/16"	#1 PT

Seamless Cupped Flange head provides more controlled positive seal.



S
E
L
F

D
R
I
L
L



Daggerz™ Self Drill Screws Phillips Pan Head Zinc



**S
E
L
F

D
R
I
L
L**


Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Drive	Drill Point
6 x 3/8	20	15,000	26	PPSDZ0600038	#2	#2 PT
6 x 1/2	20	15,000	31	PPSDZ060012	#2	#2 PT
6 x 5/8	20	10,000	24	PPSDZ060058	#2	#2 PT
6 x 3/4	20	10,000	30	PPSDZ06034	#2	#2 PT
6 x 1	20	10,000	34	PPSDZ06100	#2	#2 PT
8 x 1/2	18	10,000	31	PPSDZ080012	#2	#2 PT
8 x 5/8	18	10,000	36	PPSDZ080058	#2	#2 PT
8 x 3/4	18	10,000	40	PPSDZ08034	#2	#2 PT
8 x 1	18	7,500	39	PPSDZ08100	#2	#2 PT
8 x 1-1/4	18	5,000	30	PPSDZ081104	#2	#2 PT
8 x 1-1/2	18	5,000	35	PPSDZ08112	#2	#2 PT
8 x 2	18	3,000	27	PPSDZ08200	#2	#2 PT
8 x 2-1/2	18	2,500	29	PPSDZ08212	#2	#2 PT
10 x 1/2	16	10,000	44	PPSDZ100012	#2	#2 PT
10 x 5/8	16	6,000	30	PPSDZ100058	#2	#3 PT
10 x 3/4	16	7,500	42	PPSDZ10034	#2	#3 PT
10 x 1	16	5,000	35	PPSDZ1010	#2	#3 PT
10 x 1-1/4	16	3,500	30	PPSDZ101104	#2	#3 PT
10 x 1-1/2	16	3,000	29	PPSDZ10112	#2	#3 PT
10 x 2	16	2,000	25	PPSDZ1020	#2	#3 PT
10 x 3	16	1,500	26	PPSDZ1030	#2	#3 PT
12 x 3/4	14	5,000	38	PPSDZ12034	#3	#3 PT
14 x 3/4	14	3,500	38	PPSDZ14034	#3	#3 PT

Call for price and availability on painted heads


HVAC and electrical use where a lower profile head is desired.

Self Drill Screws have a tip to cut through material and eliminate the need to drill a pilot hole.



Recommended for light steel to steel applications.



Daggerz™ Self Drill Screws Phillips Pan Head 410 Stainless Steel



Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS	Drive	Drill Point
8 x 1/2	18	10,000	33	PPSDSS080012	#2	#2 PT
8 x 3/4	18	10,000	41	PPSDSS08034	#2	#2 PT
8 x 1	18	7,500	35	PPSDSS08100	#2	#2 PT
10 x 3/4	16	5,000	29	PPSDSS10034	#2	#3 PT
10 x 1	16	5,000	35	PPSDSS1010	#2	#3 PT



Daggerz™ Self Drill Screws Phillips Flat Head 410 Stainless Steel

Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS	Drive	Drill Point
8 x 3/4	18	10,000	30	FPSDSS08034	#2	#2 PT
8 x 1	18	8,000	35	FPSDSS08100	#2	#2 PT
8 x 1-1/4	18	5,000	27	FPSDSS081104	#2	#2 PT
8 x 1-1/2	18	5,000	30	FPSDSS08112	#2	#2 PT
10 x 3/4	16	7,500	31	FPSDSS10034	#2	#3 PT
10 x 1	16	5,000	30	FPSDSS1010	#2	#3 PT
10 x 1-1/4	16	3,000	23	FPSDSS101104	#2	#3 PT
10 x 1-1/2	16	3,000	27	FPSDSS10112	#2	#3 PT
10 x 2	16	2,000	25	FPSDSS1020	#2	#3 PT

SS Self Drills have a sharp drill point to help improve material engagement.



S
E
L
F

D
R
I
L
L



Daggerz™ Self Drill Screws

Phillips Flat Head

Zinc



**S
E
L
F

D
R
I
L
L**

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Drive	Drill Point
6 x 3/4	20	10,000	35	FPSDZ06034	#2	#2 PT
8 x 3/4	18	10,000	30	FPSDZ08034	#2	#2 PT
8 x 1	18	8,000	35	FPSDZ08100	#2	#2 PT
8 x 1-1/4	18	5,000	27	FPSDZ081104	#2	#2 PT
8 x 1-1/2	18	5,000	30	FPSDZ08112	#2	#2 PT
8 x 2	18	3,000	28	FPSDZ08200	#2	#2 PT
10 x 3/4	16	7,500	32	FPSDZ10034	#2	#3 PT
10 x 1	16	5,000	30	FPSDZ1010	#2	#3 PT
10 x 1-1/4	16	3,000	23	FPSDZ101104	#2	#3 PT
10 x 1-1/2	16	3,000	27	FPSDZ10112	#2	#3 PT
10 x 2	16	2,000	25	FPSDZ1020	#2	#3 PT
10 x 3	16	1,500	27	FPSDZ1030	#2	#3 PT
12 x 3/4	14	5,000	31	FPSDZ12034	#3	#3 PT
12 x 1	14	3,500	23	FPSDZ1210	#3	#3 PT
12 x 1-1/2	14	2,500	29	FPSDZ12112	#3	#3 PT
12 x 2	14	2,000	28	FPSDZ1220	#3	#3 PT
14 x 1	14	2,500	24	FPSDZ1410	#3	#3 PT
14 x 1-1/4	14	2,000	23	FPSDZ141104	#3	#3 PT
14 x 1-1/2	14	2,000	27	FPSDZ14112	#3	#3 PT
14 x 2	14	1,500	35	FPSDZ1420	#3	#3 PT
14 x 3	14	1,000	33	FPSDZ1430	#3	#3 PT
14 x 4*	14	500	19	FPSDZ1440	#3	#3 PT
14 x 5*	14	500	24	FPSDZ1450	#3	#3 PT
14 x 6*	14	500	27	FPSDZ1460	#3	#3 PT

**fully threaded*

Flat head for countersunk applications where very low profile head is desired.



Daggerz™ Self Drill Screws Phillips Oval Head Zinc



Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Drive	Drill Point
6 x 1	20	10,000	32	OPSDZ06100	#2	#2 PT
8 x 3/4	18	10,000	40	OPSDZ08034	#2	#2 PT
8 x 1	18	8,000	38	OPSDZ08100	#2	#2 PT
8 x 1-1/4	18	5,000	29	OPSDZ081104	#2	#2 PT
8 x 1-1/2	18	5,000	34	OPSDZ08112	#2	#2 PT
10 X 3/4	16	7,000	32	OPSDZ10034	#2	#3 PT
10 X 1	16	5,000	31	OPSDZ1010	#2	#3 PT
10 X 1-1/4	16	3,500	28	OPSDZ101104	#2	#3 PT




Daggerz™ Self Drill Screws Square Pan Head Zinc

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Drive	Drill Point
8 x 1/2	18	10,000	33	PSQSDZ08012	#2	#2 PT
8 x 3/4	18	10,000	43	PSQSDZ08034	#2	#2 PT
8 x 1	18	7,500	39	PSQSDZ08100	#2	#2 PT
10 x 3/4	16	7,500	44	PSQSDZ10034	#2	#3 PT
10 x 1	16	5,000	35	PSQSDZ1010	#2	#3 PT
10 x 1-1/2	16	3,000	29	PSQSDZ10112	#2	#3 PT



Daggerz™ Self Drill Screws Phillips Bugle



**Pilot Point Dagger-Guard Coating™
and Phillips Square Flat ACQ Dagger Ultra-Guard Coating™**


Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	ACQ DAGGER ULTRA-GUARD	Head	Drill Point
8 x 1-15/16	18	5,000	38	DWFB811516	-	Bugle	#2 PT
10 x 1-13/16	16	2,500	23	-	FPSDCT1011316	Flat	#3 PT

Designed for attaching range of wood 1/4" up to 3/4" to 16-8 gauge metal.



S
E
L
F

D
R
I
L
L




Daggerz™ Self Drill Screws Phillips Thin Wafer Plymetal Dagger Ultra-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	ACQ DAGGER ULTRA-GUARD	Drive	Drill Point
10 x 3/4	24	7,000	35	PLYSDCT10034M	#2	#3 PT
10 x 1	24	5,000	35	PLYSDCT1010M	#2	#3 PT
10 x 1-1/4	24	3,500	28	PLYSDCT101104M	#2	#3 PT
10 x 1-1/2	24	3,000	30	PLYSDCT10112M	#2	#3 PT

Wafer head provides flush fit with increased load bearing for added strength.

Daggerz™ Self Drill Screws Phillips Thin Wafer Plymetal with wings Dagger Ultra-Guard Coating™




Size	Threads Per Inch	Carton Quantity	Carton Weight	ACQ DAGGER ULTRA-GUARD	Drive	Drill Point
10 x 1-7/16	24	4,000	39	PLYSDCTWW101716M	#2	#3 PT

Reamer wings designed to keep wood from splitting and helps countersink the head.



Daggerz™ Self Drill Screws Phillips Flat Head with wings 410 Stainless Steel




Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS	Drive	Drill Point
12 x 2	24	2,000	33	SD4SSWW1220	#3	#4 PT
12 x 2-1/2	24	1,500	31	SD4SSWW12212	#3	#4 PT
1/4 x 2-3/4	20	1,000	30	SD4SSWW14234	#3	#4 PT




SELF DRILL

Daggerz™ Self Drill Screws Phillips Flat Head with wings Dagger-Guard Coating™ and Dagger Ultra-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	ACQ DAGGER ULTRA-GUARD	Drive	Drill Point
12 x 1-5/8	24	3,000	34	SD4CTWW12158	SD4CTWWM12158	#3	#4 PT
12 x 2	24	2,000	32	SD4CTWW1220	SD4CTWWM1220	#3	#4 PT
12 x 2-1/2	24	1,500	30	SD4CTWW12212	SD4CTWWM12212	#3	#4 PT
1/4 x 2-3/4	20	1,000	30	SD4CTWW14234	SD4CTWWM14234	#3	#4 PT
1/4 x 3	20	1,000	32	SD4CTWW1430	SD4CTWWM1430	#3	#4 PT
1/4 x 3-1/4	20	900	31	SD4CTWW143104	SD4CTWWM143104	#3	#4 PT
1/4 x 3 1/2	20	900	33	SD4CTWW14312	SD4CTWWM14312	#3	#4 PT
1/4 x 3-3/4	20	500	20	SD4CTWW14334	SD4CTWWM14334	#3	#4 PT






Wings ream the hole larger than the threads so the threads will not engage the wood.

Wings break off when they hit the steel, then the threads engage.

The Purpose of Wings is to prevent "Jacking Action"






Daggerz™ Self Drill Screws Star Flat Head with wings Dagger Ultra-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	ACQ DAGGER ULTRA-GUARD	Drive	Drill Point
12 x 2	24	2,000	32	SD4CTWWST1220	T27	#4 PT
12 x 2-1/2	24	1,500	30	SD4CTWWST12212	T27	#4 PT
1/4 x 2-3/4	20	1,000	30	SD4CTWWST14234	T27	#4 PT
1/4 x 3	20	1,000	32	SD4CTWWST1430	T27	#4 PT
1/4 x 3-1/4	20	900	31	SD4CTWWST143104	T27	#4 PT
1/4 x 3 1/2	20	900	33	SD4CTWWST14312	T27	#4 PT
1/4 x 3-3/4	20	500	20	SD4CTWWST14334	T27	#4 PT

SELF DRILL



Daggerz™ Self Drill Screws Hex Washer Head #5 Point Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive	Drill Point
12 x 7/8	24	4,000	36	SD4CT1278	5/16"	#4 PT
12 x 1-1/4	24	4,000	44	SD5CT121104	5/16"	#5 PT
12 x 1-1/2	24	2,000	27	SD5CT12112	5/16"	#5 PT
12 x 2	24	2,000	34	SD5CT1220	5/16"	#5 PT
1/4 x 1-1/2	20	1,500	28	SD5CT14112	3/8"	#5 PT
1/4 x 2	20	1,500	36	SD5CT1420	3/8"	#5 PT
1/4 x 2-1/2	20	1,000	28	SD5CT14212	3/8"	#5 PT
1/4 x 3	20	1,000	36	SD5CT1430	3/8"	#5 PT
1/4 x 4	20	500	24	SD5CT1440	3/8"	#5 PT
1/4 x 5*	20	250	17	SD5CT1450	3/8"	#5 PT
1/4 x 6*	20	250	18	SD5CT1460	3/8"	#5 PT
1/4 x 7*	20	250	20	SD5CT1470	3/8"	#5 PT
1/4 x 8*	20	250	23	SD5CT1480	3/8"	#5 PT

**thread length 4"*

Daggerz™ Self Drill Screws Hex Washer Head #1 Stitch Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive	Drill Point
1/4 x 7/8	14	4,000	43	STHCT1478	5/16"	#1 PT



Daggerz™ Self Drill Screws Hex Washer Head with Bonded Washer #1 Stitch Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive	Drill Point
1/4 x 7/8	14	2,500	32	NEOSTHCT1478	5/16"	#1 PT

Designed for panel to panel side lap.




**S
E
L
F

D
R
I
L
L**

Daggerz™ Self Drill Screws


Hex Washer Head with Bonded Washer

#5 Point Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive	Drill Point
12 x 7/8	24	4,000	46	NEOSD4CT1278	5/16"	#4 PT
12 x 1-1/4	24	2,000	31	NEOSD5CT121104	5/16"	#5 PT
12 x 1-1/2	24	2,000	32	NEOSD5CT12112	5/16"	#5 PT
12 x 2	24	2,000	39	NEOSD5CT1220	5/16"	#5 PT
1/4 x 1-1/2	20	1,500	33	NEOSD5CT14112	3/8"	#5 PT
1/4 x 2	20	1,500	39	NEOSD5CT1420	3/8"	#5 PT
1/4 x 2-1/2	20	1,000	32	NEOSD5CT14212	3/8"	#5 PT
1/4 x 3	20	500	20	NEOSD5CT1430	3/8"	#5 PT
1/4 x 4	20	500	25	NEOSD5CT1440	3/8"	#5 PT
1/4 x 5*	20	250	18	NEOSD5CT1450	3/8"	#5 PT
1/4 x 6*	20	250	19	NEOSD5CT1460	3/8"	#5 PT
1/4 x 7*	20	250	21	NEOSD5CT1470	3/8"	#5 PT
1/4 x 8*	20	250	24	NEOSD5CT1480	3/8"	#5 PT



**thread length 4"*



**S
E
L
F

D
R
I
L
L**


Specialty Self Drills have shank slots for optimum threading performance.



Daggerz™ Self Drill Screws Hex Washer Head 305 Stainless Steel


Size	Threads Per Inch	Carton Quantity	Carton Weight	305 SS	Drive	Drill Point
8 x 1/2	18	10,000	22	SDSSS080012	1/4"	#2 PT
10 x 3/4	16	5,000	21	SDSSS10034	5/16"	#3 PT
12 x 3/4	14	5,000	39	SDSSS12034	5/16"	#3 PT
14 x 3/4	14	2,500	18	SDSSS14034	3/8"	#3 PT

305 Stainless Steel provides optimum corrosion resistance in harsh environmental conditions.



Distributor recommended for Quality, Value, and Service.

Daggerz™ Self Drill Screws
Hex Washer Head 410 Stainless Steel
#5 Point Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS DAGGER-GUARD	Drive	Drill Point
12 x 1-1/4	24	2,500	28	SD5SSCT121104	5/16"	#5 PT
12 x 1-1/2	24	2,000	27	SD5SSCT12112	5/16"	#5 PT
12 x 2	24	2,000	35	SD5SSCT1220	5/16"	#5 PT




Daggerz™ Self Drill Screws
Hex Washer Head with Bonded Washer
#5 Point 410SS Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS DAGGER-GUARD	Drive	Drill Point
12 x 1-1/4	24	2,500	32	NEOSD5SSCT121104	5/16"	#5 PT
12 x 1-1/2	24	2,000	29	NEOSD5SSCT12112	5/16"	#5 PT
12 x 2	24	2,000	36	NEOSD5SSCT1220	5/16"	#5 PT

Daggerz™ Self Drill Screws
Hex Washer Head with Bonded Washer
#1 Stitch 410SS Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS DAGGER-GUARD	Drive	Drill Point
1/4 x 7/8	14	2,500	33	NEOSTHSSCT1478	5/16"	#1 PT



Daggerz™ Self Drill Screws
Hex Washer Head with Bonded Washer
#2 Pilot 410SS Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS DAGGER-GUARD	Drive	Drill Point
12 x 1-1/4	14	2,500	36	NEOSD2SSCT121104	5/16"	#2 PT



Recommended for metal to metal applications where corrosion is a concern.



S
E
L
F

D
R
I
L
L

Daggerz™ Drywall Screws Phillips Bugle Coarse Thread Phosphate, Yellow Zinc, and Zinc




**D
R
Y
W
A
L
L**

Size	Threads Per Inch	Carton Quantity	Carton Weight	PHOSPHATE	YELLOW ZINC	CLEAR ZINC
6 x 1	9	10,000	30	DWC06100	DWY06100	DWZ06100
6 x 1-1/8	9	10,000	34	DWC0611008	-	-
6 x 1-1/4	9	8,000	29	DWC061104	DWY061104	DWZ061104
6 x 1-1/2	9	6,000	25	DWC06112	-	-
6 x 1-5/8	9	5,000	23	DWC06158	DWY06158	DWZ06158
6 x 2	9	3,500	19	DWC06200	DWY06200	DWZ06200
6 x 2-1/4	9	3,000	18	DWC06214	-	-
8 x 1-5/8	8	4,000	23	DWC08158	-	-
8 x 2-1/2	8	2,500	23	DWC08212	DWY08212	DWZ08212
8 x 3	8	2,000	22	DWC08300	DWY08300	DWZ08300
10 x 3-1/2	8	1,500	27	DWC10312	DWY10312	-
10 x 4	8	1,000	21	DWC1040	DWY1040	-
10 x 4-1/2	8	1,000	23	DWC10412	-	-
10 x 5	8	1,000	27	DWC1050	DWY1050	-
10 x 6	8	1,000	30	DWC1060	DWY1060	-

Used in interior wood applications. Yellow Zinc used in low corrosion resistance applications.

Daggerz™ Drywall Screws Phillips Laminating Phosphate





Size	Threads Per Inch	Carton Quantity	Carton Weight	PHOSPHATE	Drive
10 x 1-1/2	8	5,000	39	LAM10112	#2

Used to temporarily fasten drywall in double-layer applications such as firewalls.

Recommended for drywall to wood, wood to wood, and drywall to drywall.

Daggerz™ Drywall Screws Phillips Bugle Fine Thread Phosphate, Zinc, and Hi Low Threads



Size	Threads Per Inch	Carton Quantity	Carton Weight	PHOSPHATE	CLEAR ZINC	HI LOW PHOSPHATE
6 x 1	18	10,000	30	DWF06100	-	DWHL06100
6 x 1-1/8	18	10,000	34	DWF0611008	DWFZ0611008	DWHL0611008
6 x 1-1/4	18	8,000	29	DWF061104	DWFZ061104	DWHL061104
6 x 1-1/2	18	6,000	25	DWF06112	-	-
6 x 1-5/8	18	5,000	23	DWF06158	-	DWHL06158
6 x 2	18	3,500	19	DWF06200	-	DWHL06200
6 x 2-1/4	18	3,000	18	DWF06214	-	DWHL06214
8 x 2-1/2	15	2,500	23	DWF08212	-	DWHL08212
8 x 3	15	2,000	22	DWF08300	-	DWHL08300
10 x 3-1/2	12	1,500	27	DWF10312	-	-
10 x 4	12	1,000	21	DWF1040	-	-
10 x 4-1/2	12	1,000	23	DWF10412	-	-
10 x 5	12	1,000	27	DWF1050	-	-
10 x 6	12	1,000	30	DWF1060	-	-



**D
R
Y
W
A
L
L**

Daggerz™ Drywall Screws Phillips Pan Framing Phosphate




Size	Threads Per Inch	Carton Quantity	Carton Weight	PHOSPHATE
7 x 7/16	23	10,000	25	PFSB0771610
7 x 7/16	23	15,000	40	PFSB07716

Sharp point used to fasten 25-20 gauge metal studs in steel track framing applications.

Size	Threads Per Inch	Carton Quantity	Carton Weight	PHOSPHATE
6 x 1	18	10,000	27	TRSQSB06100
6 x 1-5/8	18	5,000	20	TRSQSB06158
6 x 2-1/4	18	3,000	17	TRSQSB06214
8 x 3	15	2,000	21	TRSQSB08300

Daggerz™ Drywall Screws Square Trim Phosphate



Finishing screw; used to fasten baseboard or trim through drywall to 25-20 gauge metal studs.



Size	Threads Per Inch	Carton Quantity	Carton Weight	PHOSPHATE	CLEAR ZINC	DAGGER-GUARD	Drive	Drill Point
6 x 1	20	10,000	34	DWSDB06100	DWSDZ06100	-	#2	#2 PT
6 x 1-1/8	20	10,000	40	DWSDB0611008	DWSDZ0611008	-	#2	#2 PT
6 x 1-1/4	20	8,000	32	DWSDB061104	DWSDZ061104	DWSDCT061104	#2	#2 PT
6 x 1-5/8	20	5,000	25	DWSDB06158	DWSDZ06158	DWSDCT06158	#2	#2 PT
6 x 1-7/8	20	4,000	23	DWSDB06178	DWSDZ06178	DWSDCT06178	#2	#2 PT
8 x 2	18	3,000	25	-	DWSDZ08200	-	#2	#2 PT
8 x 2-3/8	18	3,000	30	DWSDB08238	DWSDZ08238	DWSDCT08238	#2	#2 PT
8 x 2-5/8	18	2,000	22	DWSDB08258	DWSDZ08258	DWSDCT08258	#2	#2 PT
8 x 3	18	2,000	24	DWSDB08300	DWSDZ08300	DWSDCT08300	#2	#2 PT
10 x 3-1/2	16	1,500	30	-	DWSDZ10312	DWSDCT10312	#2	#3 PT
10 x 4	16	1,000	24	-	DWSDZ1040	DWSDCT1040	#2	#3 PT
10 x 5	16	1,000	28	-	-	DWSDCT1050	#2	#3 PT
10 x 6	16	1,000	31	-	-	DWSDCT1060	#2	#3 PT



Daggerz™ Self Drill Screws Phillips Pan Framing Phosphate and Zinc



Size	Threads Per Inch	Carton Quantity	Carton Weight	PHOSPHATE	CLEAR ZINC	Drive	Drill Point
7 x 7/16	19	10,000	25	PFSDB0771610	PFSDZ0771610	#2	#2 PT
7 x 7/16	19	15,000	40	PFSDB07716	PFSDZ07716	#2	#2 PT




Daggerz™ Self Drill Screws Square Trim Zinc

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Drive	Drill Point
6 x 1	20	10,000	29	TRSQSDZ06100	#1	#2 PT
6 x 1-5/8	20	5,000	21	TRSQSDZ06158	#1	#2 PT
6 x 2-1/4	20	3,000	20	TRSQSDZ06214	#1	#2 PT
8 x 3	18	2,000	25	TRSQSDZ08300	#2	#2 PT




DRY
WALL

Daggerz™ Self Drill Screws Phillips Wafer Cement Board Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive	Drill Point
8 x 1-1/4	18	5,000	29	CMSD081104	#2	#2 PT
8 x 1-5/8	18	4,000	30	CMSD08158	#2	#2 PT
8 x 2-1/4	18	3,000	30	CMSD08214	#2	#2 PT


Used to fasten cement board to steel in tile backer and underlayment applications.



Daggerz™ Self Drill Screws Phillips Wafer Fiber Cement Board with wings Dagger-Ceramic Coating

Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-CERAMIC	Drive	Drill Point
8 x 1-1/4	18	5,000	31	CMSDWW081104	#2	#2 PT
8 x 1-5/8	18	4,000	30	CMSDWW08158	#2	#2 PT

Wings ream out the fiber cement allowing the head to sink. Wings break off when meeting the steel.



D
R
Y
W
A
L
L

Daggerz™ Cement Board Screws Phillips Wafer Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD
8 x 1-1/4	15	5,000	31	CMSP081104
8 x 1-5/8	15	4,000	30	CMSP08158
8 x 2-1/4	15	3,000	28	CMSP08214

Spade Point




Hi low threading used to fasten cement board to wood or 25-20 gauge metal studs.




**Daggerz™ Wafer
Sharp Screws
Phillips Modified Truss
Zinc**

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC
8 x 1/2	15	10,000	38	MTSZ080012
8 x 9/16	15	10,000	40	MTSZ0800916
8 x 3/4	15	8,000	37	MTSZ08034
8 x 1	15	5,000	28	MTSZ08100
8 x 1-1/4	15	5,000	32	MTSZ081104
8 x 1-5/8	15	4,000	32	MTSZ08158
8 x 1-7/8	15	3,000	26	MTSZ08178
8 x 2	15	3,000	26	MTSZ08200
8 x 2-1/2	15	2,500	29	MTSZ08212
8 x 3	15	2,000	25	MTSZ08300



Size	Threads Per Inch	Carton Quantity	Carton Weight	305 SS
8 x 1/2	15	10,000	38	MTSS080012
8 x 3/4	15	8,000	37	MTSS08034
8 x 1	15	5,000	28	MTSS08100
8 x 1-1/4	15	5,000	32	MTSS081104
8 x 1-5/8	15	4,000	32	MTSS08158
8 x 1-7/8	15	3,000	26	MTSS08178
8 x 2	15	3,000	29	MTSS08200
8 x 2-1/2	15	2,500	29	MTSS08212
8 x 3	15	2,000	23	MTSS08300

**Daggerz™ Wafer
Sharp Screws
Phillips Modified Truss
Type 17
305 Stainless Steel**



Recommended for metal lath to metal or wood applications.



Daggerz™
ICC ES Wafer ICC ES LISTED
Self Drill Screws



Phillips Modified Truss Phosphate and Zinc

Size	Threads Per Inch	Carton Quantity	Carton Weight	PHOSPHATE	CLEAR ZINC	Drive	Drill Point
8 x 1/2	18	10,000	36	MTSDB08012	MTSDZ08012	#2	#2 PT
8 x 3/4	18	8,000	36	MTSDB08034	MTSDZ08034	#2	#2 PT
8 x 1	18	5,000	28	MTSDB08100	MTSDZ08100	#2	#2 PT
8 x 1-1/4	18	5,000	33	MTSDB081104	MTSDZ081104	#2	#2 PT
8 x 1-5/8	18	4,000	31	MTSDB08158	MTSDZ08158	#2	#2 PT
8 x 1-7/8	18	3,000	26	-	MTSDZ08178	#2	#2 PT
8 x 2	18	3,000	28	-	MTSDZ08200	#2	#2 PT
8 x 2-1/2	18	2,500	29	-	MTSDZ08212	#2	#2 PT
8 x 3	18	2,000	25	-	MTSDZ08300	#2	#2 PT
10 x 3/4	16	5,000	27	-	MTSDZ10034	#2	#3 PT
10 x 3-1/2	16	1,000	21	-	MTSDZ10312	#2	#3 PT
10 x 4	16	1,000	24	-	MTSDZ1040	#2	#3 PT
10 x 5	16	1,000	28	-	MTSDZ1050	#2	#3 PT
10 x 6	16	1,000	31	-	MTSDZ1060	#2	#3 PT
12 x 3/4	14	4,000	26	-	MTSDZ12034	#2	#3 PT



Daggerz™ Wafer Self Drill Screws Phillips Modified Truss 410 Stainless Steel

Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS	Drive	Drill Point
8 x 1/2	18	10,000	36	MTSDSS08012	#2	#2 PT
8 x 3/4	18	8,000	36	MTSDSS08034	#2	#2 PT
8 x 1	18	5,000	28	MTSDSS08100	#2	#2 PT
8 x 1-1/4	18	5,000	33	MTSDSS081104	#2	#2 PT
8 x 1-5/8	18	4,000	31	MTSDSS08158	#2	#2 PT
8 x 1-7/8	18	3,000	26	MTSDSS08178	#2	#2 PT
8 x 2	18	3,000	28	MTSDSS08200	#2	#2 PT
8 x 2-1/2	18	2,500	29	MTSDSS08212	#2	#2 PT
8 x 3	18	2,000	25	MTSDSS08300	#2	#2 PT



D
R
Y
W
A
L
L



Daggerz™ Drywall Nails Smooth Cupped Head Phosphate

Length	Nail Diameter	Head Diameter	PHOSPHATE	Nail Diameter	Head Diameter	PHOSPHATE	Carton Weight	Point
1-3/16	12.5 GA	11/32"	NAILPC125118	13 GA	19/64"	NAILPC13118	50	Diamond
1-3/8	12.5 GA	11/32"	NAILPC125137	13 GA	19/64"	NAILPC13137	50	Diamond
1-5/8	12.5 GA	11/32"	NAILPC125162	13 GA	19/64"	NAILPC13162	50	Diamond
1-7/8	12.5 GA	11/32"	NAILPC125187	13 GA	19/64"	NAILPC13187	50	Diamond

Phosphate Coated nails have a cupped round head that promotes easy hiding with proper mud application.

Daggerz™ Drywall Nails Smooth Flat Head Cement Coated



Length	Nail Diameter	Head Diameter	Carton Weight	PHOSPHATE	Carton Weight	PHOSPHATE	Point
1-1/4	12.5 GA	11/32"	25	NAILCC12512525	50	NAILCC125125	Diamond

Cement Coated (CC) nails have a smooth shank with a coating of resin to increase holding power.

Daggerz™ Drywall Mesh Tape Self-Adhesive Fiberglass White



Width	Length	Rolls Per Carton	WHITE TAPE
2	300'	24	IFIMDT200
2-1/2	300'	24	IFIMTD212

Made from woven fiberglass and used for joining sheetrock providing a strong bond where the drywall meets.

Daggerz™ Adhesive Window Film Blue and Clear

Width	Length	Color	FILM
21	600'	Blue	IFIWFB
21	600'	Clear	IFIWFC



Used as a barrier or protection for windows against stucco, residue, mortar stains, over-sprays and more.

Daggerz™ Masonry Stub Nails





Size	Head Diameter	Carton Weight	ELECTROGALVANIZED
#9 x 3/8	3/8"	50	NAILEG9037
#9 x 1/2	3/8"	50	NAILEG9050
#9 x 3/4	3/8"	50	NAILEG9075

Daggerz™ Pre-Tie Straight Wire with 90° Clip and 1-1/4 Clip

Length	Wire Gauge	Bundle Quantity	ELECTROGALVANIZED	Crate Quantity
6'	.105" (12 Gauge)	100	PTS12G06114	100
8'	.105" (12 Gauge)	100	PTS12G081104	100
12'	.105" (12 Gauge)	100	PTS12G121104	50

Daggerz™ Hanger Wire

Length	Wire Gauge	Bundle Quantity	ELECTROGALVANIZED	Crate Quantity
12'	.105" (12 Gauge)	100	PTS12G12	50



Daggerz™ Eye Lag Screws Self Drill and Sharp Point Zinc



Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Hole Diameter	Thread Length	Flange Diameter
1/4 x 2	14	2,000	34	ELSDZ1420	3/16"	3/4"	9/16"
1/4 x 3	14	1,000	29	ELSDZ1430	3/16"	2"	9/16"

Drywall or Insulation to steel.

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Hole Diameter	Thread Length
1/4 x 3	10	1,000	21	ELSZ1430	3/16"	1-5/8"

Drywall or Insulation to wood.



Daggerz™ Eye Lag Driver

Size	CLEAR ZINC
1/4 x 3	ELD143


Used to attach wire for hanging suspended ceilings.




A
C
C
O
U
S
T
I
C
A
L




Daggerz™ Roofing Nails EG Smooth Shank Bulk and 15° Coil



Length	Diameter	Carton Weight	ELECTROGALVANIZED	Carton Quantity	ELECTROGALVANIZED
1-1/4	.120" (11 Gauge)	50	NAILEGB11125	7,200	NAILEGC11125
1-1/2	.120" (11 Gauge)	50	NAILEGB11150	-	-



Daggerz™ Roofing Nails SS Ring Shank Bulk and 15° Coil





Length	Diameter	Carton Weight	304 SS BULK	Carton Quantity	304 SS COIL
1-1/4	.120" (11 Gauge)	25	NAILSSB11125	3,600	NAILSSC1112530
1-1/4	.120" (11 Gauge)	-	-	7,200	NAILSSC11125
1-1/2	.120" (11 Gauge)	25	NAILSSB11150	3,600	NAILSSC1115030
1-1/2	.120" (11 Gauge)	-	-	7,200	NAILSSC11150
1-3/4	.120" (11 Gauge)	-	-	3,600	NAILSSC1117530
1-3/4	.120" (11 Gauge)	-	-	7,200	NAILSSC11175
2	.120" (11 Gauge)	25	NAILSSB11200	-	-
2-1/2	.120" (11 Gauge)	25	NAILSSB11250	-	-
3	.120" (11 Gauge)	25	NAILSSB11300	-	-



R
O
O
F
I
N
G

Dagger-Tite™ Post Frame Screws Hex Washer Head Type 17 with or without Bonded Washer Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	W/WASHER DAGGER-GUARD	W/OUT WASHER DAGGER-GUARD	Drive
9 x 1	15	4,000	36	DAGCT0910T17	DAGCTWOW0910T17	1/4"
9 x 1-1/2	15	2,500	27	DAGCT09112T17	DAGCTWOW09112T17	1/4"
9 x 2	15	2,000	26	DAGCT0920T17	DAGCTWOW0920T17	1/4"
9 x 2-1/2	15	1,500	25	DAGCT09212T17	DAGCTWOW09212T17	1/4"
9 x 3	15	1,000	19	DAGCT0930T17	DAGCTWOW0930T17	1/4"
10 x 1*	14	2,500	17	DAGCT1010T17	-	1/4"
10 x 1-1/2*	14	2,500	27	DAGCT10112T17	-	1/4"
10 x 2*	14	2,000	27	DAGCT1020T17	-	1/4"
10 x 2-1/2*	14	1,500	22	DAGCT10212T17	-	1/4"
10 x 3*	14	1,000	17	DAGCT1030T17	-	1/4"
12 x 3/4	11	2,500	22	DAGCT12034T17	-	1/4"
14 x 3/4	10	3,000	41	DAGCT14034T17	-	5/16"
14 x 1	10	2,500	40	DAGCT1410T17	-	5/16"
14 x 1-1/4	10	2,000	37	DAGCT141104T17	-	5/16"
14 x 1-1/2	10	1,500	31	DAGCT14112T17	-	5/16"
14 x 2	10	1,000	25	DAGCT1420T17	-	5/16"
14 x 3	10	1,000	25	DAGCT1430T17	-	5/16"

Larger diameter and more threads per inch results in greater resistance to thread strip out and a tighter seal.

**hi low thread*




Dagger-Tite™ Post Frame Screws Hex Head Type AB with Bonded Washer Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive
17 x 1	14	2,000	42	DAGCT1710TAB	3/8"
17 x 1-1/2	14	1,500	44	DAGCT17112TAB	3/8"

Great for use in applications to replace 1/4" diameter screws where the threads have stripped out.



R
O
O
F
I
N
G



Dagger-Lo™ Clip Screws Square/Phillips Pancake Type 17 Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive
10 x 1	13	5,000	35	LOPROT17GPCT1010	#2
10 x 1-1/2	13	2,000	28	LOPROT17GPCT10112	#2
10 x 2	13	2,000	26	LOPROT17GPCT1020	#2
10 x 2-1/2	13	1,500	21	LOPROT17GPCT10212	#2
10 x 3	13	1,500	24	LOPROT17GPCT1030	#2
12 x 1	11	5,000	44	LOPROT17GPCT1210	#2
12 x 1-1/2	11	2,000	31	LOPROT17GPCT12112	#2

Dagger-Guard Coating™ offers 1000 hours excellent corrosion resistance against gas, salt water, scratches, weathering, and other corrosive factors, including contact with other metals.

Dagger-Lo™ Clip Screws Square/Phillips Pancake Type 17 302 Stainless



Size	Threads Per Inch	Carton Quantity	Carton Weight	302 SS	Drive
10 x 1	13	5,000	35	LOPROT17GPSSS1010	#2
10 x 1-1/2	13	2,000	20	LOPROT17GPSSS10112	#2
10 x 2	13	2,000	25	LOPROT17GPSSS1020	#2

Type 17 point eliminates pre-drilling and enables a smooth penetration into hard woods.

Dagger-Lo™ features 250 count poly bags inside wax coated crush resistant cartons with fastener picture and color coding for ease of material identification.



Dagger-Lo™ Clip Screws Square/Phillips Ultra Low Pancake Type 17 Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive
10 x 1-1/8	9	5,000	30	LOPROU1011008	#2

Head design allows more bearing surface for greater strength where lower profile head is desired.



R
O
O
F
I
N
G


Dagger-Lo™ Self Drill Screws Square/Phillips Pancake Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive	Drill Point
10 x 5/8	16	7,000	37	LOPROSDCT10058	#2	#3 PT
10 x 1	16	5,000	35	LOPROSDCT1010	#2	#3 PT
10 x 1-1/2	16	3,000	28	LOPROSDCT10112	#2	#3 PT
10 x 2	16	2,000	26	LOPROSDCT1020	#2	#3 PT
12 x 1	14	5,000	38	LOPROSDCT1210	#2	#3 PT
12 x 2	14	2,000	30	LOPROSDCT1220	#2	#3 PT



R
O
O
F
I
N
G



Dagger-Lo™ Self Drill Screws Square/Phillips Pancake 410 Stainless Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	410 SS DAGGER-GUARD	Drive	Drill Point
10 x 1	16	5,000	35	LOPROSDSS1010	#2	#3 PT

Used to attach panel clips to metal studs.




Daggerz™ Needle Point Screws Slotted Hex Washer Head Zinc

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Drive
7 x 1/2	16	10,000	32	NDLZ07012	1/4"
8 x 1/2	15	10,000	32	NDLZ08012	1/4"
8 x 3/4	15	10,000	42	NDLZ08034	1/4"
8 x 1	15	8,000	39	NDLZ08100	1/4"
8 x 1-1/4	15	5,000	30	NDLZ081104	1/4"
8 x 1-1/2	15	5,000	34	NDLZ08112	1/4"
8 x 2	15	3,000	27	NDLZ08200	1/4"
10 x 1/2	12	8,000	45	NDLZ10012	5/16"
10 x 3/4	12	6,000	33	NDLZ10034	5/16"
10 x 1	12	5,000	34	NDLZ1010	5/16"
10 x 1-1/2	12	3,000	28	NDLZ10112	5/16"
10 x 2	12	2,500	29	NDLZ1020	5/16"
10 x 3	12	1,500	25	NDLZ1030	5/16"
12 x 1	11	5,000	47	NDLZ1210	5/16"
12 x 1-1/2	11	3,000	37	NDLZ12112	5/16"
12 x 2	11	2,500	40	NDLZ1220	5/16"
12 x 3	11	1,500	35	NDLZ1230	5/16"

Daggerz™ Needle Point Screws Slotted Hex Washer Head with Bonded Washer Zinc

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC
8 x 3/4	15	5,000	37	NEONDLZ08034



Dagger-Zip Ultra Sharp Point Screws Unslotted Hex Washer Head Zinc


Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Drive
8 x 1/2 *	32	8,000	27	DZZ08012	1/4"
10 x 3/4 **	24	5,000	39	DZZ10034	5/16"

*Hd ht .139-.155, **Hd ht .172-.190



NEEDLE
POINT

Dagger-Lok™ Machine Screws Phillips Slotted Truss Head Break-Away Zinc



Size	Threads Per Inch	Carton Quantity	Carton Weight	ZINC	Drive
8 x 1-3/4	32	4,000	36	PTBZ08134	#2
M4 x 45MM	0.7	4,000	36	PTBZ445MM	#2



Dagger-Lok™ Wood Screws Square Face Framer Type 17 Hi Low Lubricized

Size	Threads Per Inch	Carton Quantity	Carton Weight	LUBRICIZED	Drive
6 x 1-1/4	18	8,000	37	DLFA061104	#2
6 x 1-1/2	18	7,000	37	DLFA06112	#2

Dagger-Lok™ Wood Screws Square-Phillips Flat with Nibs Type 17 Coarse Zinc



Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Drive
8 x 1*	9	10,000	40	DLFLSPZ08100	#2
8 x 1-1/4	9	7,500	36	DLFLSPZ081104	#2
8 x 1-1/2	9	5,000	27	DLFLSPZ08112	#2
8 x 1-5/8	9	5,000	31	DLFLSPZ081158	#2
8 x 2	9	3,500	27	DLFLSPZ08200	#2
8 x 2-1/2	9	2,500	23	DLFLSPZ08212	#2
8 x 3	9	1,500	17	DLFLSPZ08300	#2

**fully threaded*



Dagger-Lok™ Hinge Screws Phillips Flat Coarse Zinc and Nickel




Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	NICKEL	Drive
6 x 1/2	13	25,000	37	-	DLHINGEN06012	#2
6 x 5/8	13	20,000	33	DLHINGEZ06058	DLHINGEN06058	#2



W
O
O
D


W
O
R
K
I
N
G

Dagger-Lok™ Wood Screws Square Flat with Nibs Type 17 Lubricized, Zinc, and Black Oxide



Size	Threads Per Inch	Carton Quantity	Carton Weight	LUBRICIZED	CLEAR ZINC	BLACK OXIDE	Drive
8 x 3/4*	9	10,000	31	DLFLSQL08034	DLFLSQZ08034	-	#2
8 x 1*	9	10,000	40	DLFLSQL08100	DLFLSQZ08100	DLFLSQB08100	#2
8 x 1-1/8*	9	10,000	45	-	DLFLSQZ0811008	-	#2
8 x 1-1/4	9	7,500	36	DLFLSQL081104	DLFLSQZ081104	DLFLSQB081104	#2
8 x 1-1/2	9	5,000	28	DLFLSQL08112	DLFLSQZ08112	DLFLSQB08112	#2
8 x 1-5/8	9	5,000	31	DLFLSQL081158	DLFLSQZ081158	DLFLSQB081158	#2
8 x 1-3/4	9	4,000	26	DLFLSQL08134	DLFLSQZ08134	DLFLSQB08134	#2
8 x 2	9	3,500	27	DLFLSQL08200	DLFLSQZ08200	DLFLSQB08200	#2
8 x 2-1/4	9	3,000	25	DLFLSQL082104	DLFLSQZ082104	DLFLSQB082104	#2
8 x 2-1/2	9	2,500	23	DLFLSQL08212	DLFLSQZ08212	DLFLSQB08212	#2
8 x 3	9	1,500	17	DLFLSQL08300	DLFLSQZ08300	DLFLSQB08300	#2
8 x 3-1/2	9	1,000	14	-	DLFLSQZ08312	-	#2
8 x 4	9	1,000	16	-	DLFLSQZ08400	-	#2
10 x 1*	8	6,000	44	-	DLFLSQZ1010	-	#2
10 x 1-1/4	8	5,000	41	-	DLFLSQZ101104	-	#2
10 x 1-1/2	8	4,000	36	-	DLFLSQZ10112	-	#2
10 x 1-5/8	8	4,000	39	-	DLFLSQZ101158	-	#2
10 x 1-3/4	8	3,500	34	-	DLFLSQZ10134	-	#2
10 x 2	8	3,000	33	-	DLFLSQZ1020	-	#2
10 x 2-1/2	8	2,000	25	-	DLFLSQZ10212	-	#2
10 x 3	8	1,500	22	DLFLSQL1030	DLFLSQZ1030	-	#2
10 x 3-1/2	8	1,000	17	DLFLSQL10312	DLFLSQZ10312	-	#2
10 x 4	8	1,000	19	DLFLSQL1040	DLFLSQZ1040	-	#2

**fully threaded*



Dagger-Lok™ Wood Screws Pozi Flat with Nibs Confirmat Coarse Sharp Point Zinc

Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	Drive
M7 x 50MM	3.0	2,000	36	DLCON750MM	#3



WOOD
WORKING

Dagger-Lok™ Wood Screws Phillips Flat with Nibs



**Type 17 Coarse
Lubricized
and Zinc**




Size	Threads Per Inch	Carton Quantity	Carton Weight	LUBRICIZED	CLEAR ZINC	Drive
6 x 3/4*	9	15,000	31	-	DLFLPHZ06034	#2
8 x 3/4*	9	10,000	28	DLFLPHL08034	DLFLPHZ08034	#2
8 x 1*	9	10,000	36	DLFLPHL08100	DLFLPHZ08100	#2
8 x 1-1/4	9	7,500	36	DLFLPHL081104	DLFLPHZ081104	#2
8 x 1-1/2	9	5,000	28	DLFLPHL08112	DLFLPHZ08112	#2
8 x 1-5/8	9	5,000	31	-	DLFLPHZ081158	#2
8 x 1-3/4	9	4,000	26	-	DLFLPHZ08134	#2
8 x 2	9	3,500	27	DLFLPHL08200	DLFLPHZ08200	#2
8 x 2-1/4	9	3,000	25	-	DLFLPHZ082104	#2
8 x 2-1/2	9	2,500	22	DLFLPHL08212	DLFLPHZ08212	#2
8 x 3	9	1,500	17	DLFLPHL08300	DLFLPHZ08300	#2

**fully threaded*

Dagger-Lok™ Wood Screws Square Round Washer Head



**Type 17 Coarse
Lubricized
and Zinc**



Size	Threads Per Inch	Carton Quantity	Carton Weight	LUBRICIZED	CLEAR ZINC	Drive
8 x 3/4*	9	10,000	39	-	DLRWSQZ08034	#2
8 x 1*	9	8,000	39	-	DLRWSQZ08100	#2
8 x 1-1/8	9	6,000	32	-	DLRWSQZ0811008	#2
8 x 1-1/4	9	6,000	35	DLRWSQL081104	DLRWSQZ081104	#2
8 x 1-1/2	9	5,000	32	DLRWSQL08112	DLRWSQZ08112	#2
8 x 1-3/4	9	4,000	26	-	DLRWSQZ08134	#2
8 x 2	9	3,000	26	DLRWSQL08200	DLRWSQZ08200	#2
8 x 2-1/4	9	2,000	19	-	DLRWSQZ082104	#2
8 x 2-1/2	9	2,000	20	DLRWSQL08212	DLRWSQZ08212	#2
8 x 3	9	1,500	19	DLRWSQL08300	DLRWSQZ08300	#2
10 x 3-1/2**	8	1,000	19	-	DLRWSQZY10312	#2


**fully threaded **yellow zinc*



**W
O
O
D

W
O
R
K
I
N
G**

Dagger-Deck™ Screws Bugle Head Coarse Thread Dacro and ACQ Dagger Ultra-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	PHILLIPS DACRO	SQUARE DACRO	SQUARE ACQ TAN
6 x 1	9	10,000	32	DKPD06100	DKSQD06100	ACQDK06100TAN
6 x 1-1/4	9	8,000	29	DKPD061104	DKSQD061104	ACQDK061104TAN
6 x 1-5/8	9	5,000	23	DKPD06158	DKSQD06158	ACQDK06158TAN
6 x 2	9	3,500	20	DKPD06200	DKSQD06200	ACQDK06200TAN
6 x 2-1/4	9	3,000	20	DKPD06214	-	-
8 x 2-1/2	8	2,500	23	DKPD08212	DKSQD08212	ACQDK08212TAN
8 x 3	8	2,000	22	DKPD08300	DKSQD08300	ACQDK08300TAN
10 x 3-1/2	8	1,500	27	DKPD10312	DKSQD10312	ACQDK10312TAN
10 x 4	8	1,000	21	DKPD1040	DKSQD1040	ACQDK1040TAN
10 x 5	8	1,000	26	DKPD1050	-	-
10 x 6	8	1,000	31	DKPD1060	-	-

Dagger-Deck™ Screws Flat with Nibs Type 17

ACQ

**Dagger Ultra-Guard
Coating™**




Size	Threads Per Inch	Carton Quantity	Carton Weight	PHILLIPS ACQ TAN	SQUARE ACQ TAN	Drive
8 x 1*	9	10,000	40	-	ACQDLFLSQ08100TAN	#2
8 x 1-1/4	9	7,500	36	ACQDLFLPH081104TAN	ACQDLFLSQ081104TAN	#2
8 x 1-1/2	9	5,000	28	-	ACQDLFLSQ08112TAN	#2
8 x 1-5/8	9	5,000	31	ACQDLFLPH081158TAN	ACQDLFLSQ081158TAN	#2
8 x 1-3/4	9	4,000	26	-	ACQDLFLSQ08134TAN	#2
8 x 2	9	3,500	27	ACQDLFLPH08200TAN	ACQDLFLSQ08200TAN	#2
8 X 2-1/4	9	3,000	25	-	ACQDLFLSQ082104TAN	#2
8 x 2-1/2	9	2,500	23	ACQDLFLPH08212TAN	ACQDLFLSQ08212TAN	#2
8 x 3	9	1,500	17	ACQDLFLPH08300TAN	ACQDLFLSQ08300TAN	#2
10 x 3	8	1,500	22	-	ACQDLFLSQ1030TAN	#2
10 x 3-1/2	8	1,000	17	-	ACQDLFLSQ10312TAN	#2
10 x 4	8	1,000	19	-	ACQDLFLSQ1040TAN	#2



DECK

Dagger-Deck™ Screws STAR Flat with Nibs Type 17


Yellow Zinc ACQ Dagger Ultra-Guard Coating™ Tan and Dark



Size	Threads Per Inch	Carton Quantity	Carton Weight	ACQ TAN	YELLOW ZINC	ACQ DARK
8 x 1-1/4	9	7,500	36	ACQSTAR081104	DKSTY081104	ACQSTAR081104D
8 x 1-5/8	9	5,000	31	ACQSTAR081158	DKSTY081158	ACQSTAR081158D
8 x 2	9	3,500	27	ACQSTAR08200	DKSTY08200	ACQSTAR08200D
9 x 2-1/2	8	2,500	26	ACQSTAR09212	DKSTY09212	ACQSTAR09212D
9 x 3	8	1,500	18	ACQSTAR09300	DKSTY09300	ACQSTAR09300D
10 x 2-1/2	8	2,500	31	ACQSTAR10212	DKSTY10212	ACQSTAR10212D
10 x 3	8	1,500	20	ACQSTAR10300	DKSTY1030	ACQSTAR10300D
10 x 3-1/2	8	1,000	17	ACQSTAR10312	DKSTY10312	ACQSTAR10312D
10 x 4	8	1,000	19	ACQSTAR1040	DKSTY1040	ACQSTAR1040D
10 x 5	8	1,000	26	ACQSTAR1050	DKSTY1050	ACQSTAR1050D
10 x 6	8	1,000	31	ACQSTAR1060	DKSTY1060	ACQSTAR1060D




D
E
C
K



Dagger-Deck™ Screws STAR Trim with Nibs Type 17

ACQ Dagger Ultra-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	ACQ TAN	Drive
7 x 1-5/8	9	5,000	25	ACQTST07158	T-15
7 x 2-1/4	9	3,000	21	ACQTST07214	T-15
8 x 3	9	2,000	23	ACQTST08300	T-15




Dagger-Deck™ Screws Square Flat with Nibs Type 17 305 Stainless Steel

Size	Threads Per Inch	Carton Quantity	Carton Weight	305 SS	Drive
8 x 1-1/4	9	5,000	28	DKSS081104	#2
8 x 1-5/8	9	4,000	29	DKSS08158	#2
8 x 2	9	3,000	25	DKSS08200	#2
8 x 2-1/2	9	2,500	24	DKSS08212	#2
10 x 2-1/2	8	2,000	25	DKSS10212	#2
10 x 3	8	1,500	23	DKSS1030	#2
10 x 3-1/2	8	1,000	18	DKSS10312	#2
10 x 4	8	1,000	21	DKSS1040	#2

Type 17 point for an easy and smooth penetration.


Dagger-Deck™ Screws Square Trim with Nibs Type 17 305 Stainless Steel



Size	Threads Per Inch	Carton Quantity	Carton Weight	305 SS	Drive
7 x 1-5/8	9	5,000	28	DKTSS07158	#1
7 x 2-1/4	9	3,000	22	DKTSS07214	#1
8 x 3	9	2,000	22	DKTSS08300	#1

1/3 blank shank provides tighter fit and added strength.

Dagger-Deck™ Screws Composite



Square or STAR Button Type 17 305 Stainless Steel




Size	Threads Per Inch	Carton Quantity	Carton Weight	SQUARE 305 SS	STAR 305 SS	Drive
10 X 2-1/2	18 / 9	2,000	27	DKCSS10212	DKCSTSS10212	#2 / T15
10 X 3	18 / 9	1,000	16	DKCSS1030	DKCSTSS1030	#2 / T15


Head design helps minimize mushrooming. Dual thread design helps capture loose material.

Recommended for wood to wood in harsh exterior applications.

Dagger-Deck™ Screws STAR Flat with Nibs Type 17 305 Stainless Steel




Size	Threads Per Inch	Carton Quantity	Carton Weight	305 SS	Drive
8 x 1-1/4	9	7,500	36	DKSTSS081104	T-20
8 x 1-5/8	9	5,000	31	DKSTSS08158	T-20
9 x 2	8	2,500	25	DKSTSS09200	T-25
9 x 2-1/2	8	2,000	19	DKSTSS09212	T-25
9 x 3	8	1,500	17	DKSTSS09300	T-25
10 x 2-1/2	8	2,000	23	DKSTSS10212	T-25
10 x 3	8	1,500	20	DKSTSS1030	T-25
10 x 3-1/2	8	1,000	17	DKSTSS10312	T-25
10 x 4	8	1,000	19	DKSTSS1040	T-25
12 x 5	8	500	18	DKSTSS1250	T-27
12 x 6	8	500	21	DKSTSS1260	T-27



Dagger-Deck™ Screws STAR Trim with Nibs Type 17 305 Stainless Steel

Size	Threads Per Inch	Carton Quantity	Carton Weight	305 SS	Drive
7 x 1-5/8	9	5,000	24	DKTSTSS07158	T-15
7 x 2-1/4	9	3,000	21	DKTSTSS07214	T-15
8 x 3	9	2,000	23	DKTSTSS08300	T-15


Dagger-Deck™ Screws STAR Flat with Nibs Type 17 316 Stainless Steel



Size	Threads Per Inch	Carton Quantity	Carton Weight	316 SS	Drive
10 x 2-1/2	8	2,000	23	DKSTSSS10212	T-25
10 x 3	8	1,500	20	DKSTSSS10300	T-25
10 x 3-1/2	8	1,000	18	DKSTSSS10312	T-25



**D
E
C
K**



Dagger-Con™ Concrete Screws Slotted Hex Washer Head Blue Dagger-Guard Coating™

Size	TPI	Ctn Qty	PACKAGED COATED BLUE	Bulk Ctn Qty	Ctn Wt	BULK COATED BLUE	Drive	Drill Bit Size
3/16 x 1-1/4	16	100	CONH0316114	4,000	30	CONHB*0316114	1/4"	5/32 x 3-1/2
3/16 x 1-3/4	16	100	CONH0316134	2,500	26	CONHB*0316134	1/4"	5/32 x 3-1/2
3/16 x 2-1/4	16	100	CONH0316214	2,500	31	CONHB*0316214	1/4"	5/32 x 4-1/2
3/16 x 2-3/4	16	100	CONH0316234	1,500	23	CONHB*0316234	1/4"	5/32 x 4-1/2
3/16 x 3-1/4	16	100	CONH0316314	1,500	27	CONHB*0316314	1/4"	5/32 x 5-1/2
3/16 x 3-3/4	16	100	CONH0316334	1,000	20	CONHB*0316334	1/4"	5/32 x 5-1/2
3/16 x 4	16	100	CONH031640	1,000	21	CONHB*031640	1/4"	5/32 x 6-1/2
1/4 x 1-1/4	14	100	CONH14114	2,500	31	CONHB*14114	5/16"	3/16 x 3-1/2
1/4 x 1-3/4	14	100	CONH14134	2,000	33	CONHB*14134	5/16"	3/16 x 3-1/2
1/4 x 2-1/4	14	100	CONH14214	1,500	31	CONHB*14214	5/16"	3/16 x 4-1/2
1/4 x 2-3/4	14	100	CONH14234	1,000	25	CONHB*14234	5/16"	3/16 x 4-1/2
1/4 x 3-1/4	14	100	CONH14314	1,000	29	CONHB*14314	5/16"	3/16 x 5-1/2
1/4 x 3-3/4	14	100	CONH14334	500	17	CONHB*14334	5/16"	3/16 x 5-1/2
1/4 x 4	14	100	CONH1440	500	20	CONHB*1440	5/16"	3/16 x 6-1/2
1/4 x 5	14	100	CONH1450	500	24	CONHB*1450	5/16"	3/16 x 7-1/2
1/4 x 6	14	100	CONH1460	500	26	CONHB*1460	5/16"	3/16 x 7-1/2

Masonry drill bit included in each 100 pack carton.

Dagger-Con™ Concrete Screws Hex Flange Head Quick-Con Yellow Zinc and Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	YELLOW ZINC	BRONZE OR WHITE	Drive
1/4 x 1-3/4	15	2,000	40	QCZ14134	QCCT14134	5/16"
1/4 x 2-1/4	15	1,000	25	QCZ14214	QCCT14214	5/16"
1/4 x 3	15	1,000	30	QCZ1430	QCCT1430	5/16"
1/4 x 4	15	500	24	QCZ1440	QCCT1440	5/16"
1/4 x 5	15	500	26	QCZ1450	QCCT1450	5/16"
1/4 x 6	15	250	14	QCZ1460	QCCT1460	5/16"
3/8 x 3	16	350	21	QCZ3803	QCCT3803	9/16"
3/8 x 4	16	300	32	QCZ3804	-	9/16"
3/8 x 5	16	250	31	QCZ3805	-	9/16"
3/8 x 7	16	200	33	QCZ3807	-	9/16"




C
O
N
C
R
E
T
E

Dagger-Con™ Concrete Screws

Phillips Flat

Blue Dagger-Guard Coating™





Size	TPI	Ctn Qty	PACKAGED COATED BLUE	Bulk Ctn Qty	Ctn Wt	BULK COATED BLUE	Drive	Drill Bit Size
3/16 x 1-1/4	16	100	CONF0316114	4,000	30	CONFB*0316114	#2	5/32 x 3-1/2
3/16 x 1-3/4	16	100	CONF0316134	2,500	25	CONFB*0316134	#2	5/32 x 3-1/2
3/16 x 2-1/4	16	100	CONF0316214	2,500	31	CONFB*0316214	#2	5/32 x 4-1/2
3/16 x 2-3/4	16	100	CONF0316234	1,500	23	CONFB*0316234	#2	5/32 x 4-1/2
3/16 x 3-1/4	16	100	CONF0316314	1,500	27	CONFB*0316314	#2	5/32 x 5-1/2
3/16 x 3-3/4	16	100	CONF0316334	1,000	20	CONFB*0316334	#2	5/32 x 5-1/2
3/16 x 4	16	100	CONF031640	1,000	21	CONFB*031640	#2	5/32 x 6-1/2
1/4 x 1-1/4	14	100	CONF14114	2,500	31	CONFB*14114	#3	3/16 x 3-1/2
1/4 x 1-3/4	14	100	CONF14134	2,000	33	CONFB*14134	#3	3/16 x 3-1/2
1/4 x 2-1/4	14	100	CONF14214	1,500	31	CONFB*14214	#3	3/16 x 4-1/2
1/4 x 2-3/4	14	100	CONF14234	1,000	25	CONFB*14234	#3	3/16 x 4-1/2
1/4 x 3-1/4	14	100	CONF14314	1,000	29	CONFB*14314	#3	3/16 x 5-1/2
1/4 x 3-3/4	14	100	CONF14334	500	16	CONFB*14334	#3	3/16 x 5-1/2
1/4 x 4	14	100	CONF1440	500	20	CONFB*1440	#3	3/16 x 6-1/2
1/4 x 5	14	100	CONF1450	500	24	CONFB*1450	#3	3/16 x 7-1/2
1/4 x 6	14	100	CONF1460	500	26	CONFB*1460	#3	3/16 x 7-1/2



C
O
N
C
R
E
T
E

Dagger-Con™ Concrete Screws

Phillips Flat
and
Phillips Trim




White and Bronze Dagger-Guard Coating™

Size	Threads Per Inch	Carton Quantity	Carton Weight	COATED WHITE	COATED BRONZE	Drive	Drill Bit Size
3/16 x 2-1/4	16	2,500	31	CONCTF0316214WHTB	CONCTF0316214BRZ	#2	5/32 x 4-1/2
3/16 x 2-3/4	16	1,500	23	CONCTF0316234WHTB	CONCTF0316234BRZ	#2	5/32 x 4-1/2
3/16 x 3-1/4	16	1,500	29	CONCTF0316314WHTB	CONCTF0316314BRZ	#2	5/32 x 5-1/2
3/16 x 3-3/4	16	1,000	20	CONCTF0316334WHTB	-	#2	5/32 x 5-1/2

Size	Threads Per Inch	Carton Quantity	Carton Weight	COATED WHITE	COATED BRONZE	Drive	Drill Bit Size
1/4 x 2-3/4	14	1,000	23	CONT14234WHT	CONT14234BRZ	#3	3/16 x 4-1/2
1/4 x 3-1/4	14	1,000	27	CONT14314WHT	CONT14314BRZ	#3	3/16 x 5-1/2

Daggerz™ Sheet Metal Screws Unslotted Hex Washer Head with Serrations Zinc and Dagger-Guard Coating™




Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	DAGGER-GUARD BRONZE/WHITE	Drive
8 x 1/2	15	15,000	49	SMZ080012	SMCT080012	1/4"
8 x 3/4	15	10,000	42	SMZ08034	SMCT08034	1/4"
8 x 1	15	8,000	40	SMZ08100	SMCT08100	1/4"
8 x 1-1/2	15	5,000	35	SMZ08112	-	1/4"
10 x 1/2	12	10,000	39	SMZ100128	SMCT100128	1/4"
10 x 3/4	12	7,500	38	SMZ100348	SMCT100348	1/4"
10 x 1	12	6,000	39	SMZ10108	SMCT10108	1/4"
10 x 1-1/2	12	3,500	32	SMZ101128	SMCT101128	1/4"
10 x 2	12	2,500	30	SMZ10208	SMCT10208	1/4"
10 x 3	12	1,500	24	SMZ10308	SMCT10308	1/4"
10 x 4	12	1,000	23	SMZ10408	SMCT10408	1/4"

Semi-gloss corrosion resistant or ceramic corrosion resistant coating available in bronze or white.



Daggerz™ Self Drill and Sheet Metal Screws Hex Washer Head with 3/4" O.D. Aluminum Washer Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	DAGGER-GUARD	Drive
8 x 3/4	18	3,000	22	NEOASDCT08034	1/4"
8 x 3/4	15	3,000	21	NEOASMCT08034	1/4"

Used in aluminum and metal roofing applications.




S
H
E
E
T

M
E
T
A
L

Daggerz™ Self Drill Screws for Aluminum Industry



Hex Washer Head Bronze and White Dagger-Guard Coating™



Size	Threads Per Inch	Carton Quantity	Carton Weight	CLEAR ZINC	DAGGER-GUARD BRONZE/WHITE	Drive	Drill Point
8 x 1/2	18	10,000	33	SDZ080012	SDCT080012	1/4"	#2 PT
8 x 9/16*	18	10,000	43	SDZ08001916	SDCT08001916	1/4"	#2 PT
8 x 3/4	18	10,000	46	SDZ08034	SDCT08034	1/4"	#2 PT
8 x 1	18	7,500	39	SDZ08100	SDCT08100	1/4"	#2 PT
10 x 3/4	16	7,000	43	SDZ10034	SDCT10034	5/16"	#3 PT
10 x 3/4*	16	7,000	36	SDZ100348	SDCT100348	1/4"	#3 PT
10 x 1	16	5,000	37	SDZ1010	SDCT1010	5/16"	#3 PT
10 x 1-1/2	16	3,000	31	SDZ10112	SDCT10112	5/16"	#3 PT
10 x 2	16	2,000	26	SDZ1020	SDCT1020	5/16"	#3 PT
12 x 3/4	14	5,000	39	SDZ12034	SDCT12034	5/16"	#3 PT
12 x 1	14	3,500	34	SDZ1210	SDCT1210	5/16"	#3 PT
12 x 2	14	2,000	33	SDZ1220	SDCT1220	5/16"	#3 PT
14 x 3/4	14	3,500	44	SDZ14034	SDCT14034	3/8"	#3 PT
14 x 1	14	2,500	37	SDZ1410	SDCT1410	3/8"	#3 PT
14 x 2	14	1,500	36	SDZ1420	SDCT1420	3/8"	#3 PT

** with serrations under head*

Semi-gloss corrosion resistant or ceramic corrosion resistant coating available in bronze or white.




Daggerz™ Pro-Seal Washers EPDM Bonded Aluminum, Galvanized, and Stainless Steel

Size	ALUMINUM	GALVANIZED	18-8 SS
8-10 x 1/2	-	NEOWG1012	NEOWS1012
8-10-12 x 3/4	NEOWA08034	-	-
10-12-14 x 1-1/2	NEOWA14112	-	-
12 x 9/16	-	NEOWG120916	NEOWS120916
14 x 5/8	-	NEOWG1458	NEOWS1458



SPECIALTY



Dagger-Con™ Concrete/Masonry Drill Bits

Size	3-1/2" Length	4-1/2" Length	5-1/2" Length	6-1/2" Length	7-1/2" Length
5/32" Diameter	BITMA00532312	BITMA00532412	BITMA00532512	BITMA00532612	-
3/16" Diameter	BITMA0316312	BITMA0316412	BITMA0316512	BITMA0316612	BITMA0316712



Daggerz™ Driver Bit Tips STAR Phillips and Square



Size	STAR PLAIN
T-15	BITST15
T-20	BITST20
T-25	BITST25
T-27	BITST27

Size	PHILLIPS PLAIN	SQUARE PLAIN
#1 x 1	BITP11	BITSQ11
#2 x 1	BITP21	BITSQ21
#2 x 1 Reduced	BITP21R	BITSQ21R
#3 x 1	BITP31	-




Daggerz™ Driver Power Bits



Phillips and Square

Size	PHILLIPS PLAIN	SQUARE PLAIN
#1 x 2	BITPP12	BITSQ12
#2 x 2	BITPP22	BITSQ22
#2 x 3	BITPP23	BITSQ23
#2 x 4	BITPP24	-
#2 x 6	BITPP26	BITSQ26
#3 x 2	BITPP32	BITSQ32

Size	PLAIN
1/4 x 1-3/4	BITH025134
1/4 x 2-1/2	BITH025212
1/4 x 4	BITH02540
5/16 x 1-3/4	BITH031134
5/16 x 2-1/2	BITH031212
3/8 x 1-3/4	BITH038134
3/8 x 2-1/2	BITH038212
1/4 x 3	BITM143




Daggerz™ Magnetic Hex Drivers and Daggerz™ Bit Holder



B
I
T
S

Daggerz™ Threaded Rod

Plain Low Carbon Steel
Clear Zinc
Hot Dip Galvanized
and
304 Stainless Steel



T
H
R
E
A
D
E
D

R
O
D

LENGTH	2 FT			3 FT			6 FT			10 FT			12 FT		
DIA-TPI	PCS	FT	WT	PCS	FT	WT	PCS	FT	WT	PCS	FT	WT	PCS	FT	WT
1/4-20	50	100	12	50	150	18	50	300	36	50	500	60	50	600	72
5/16-18	-	-	-	35	105	20	35	210	40	35	350	68	35	420	82
3/8-16	25	50	14	25	75	21	25	150	43	25	250	72	25	300	87
7/16-14	-	-	-	17	51	20	17	102	40	-	-	-	-	-	-
1/2-13	12	24	12	12	36	18	12	72	36	12	120	62	12	144	75
5/8-11	8	16	13	8	24	20	8	48	40	8	80	66	8	96	80
3/4-10	5	10	12	5	15	18	5	30	36	5	50	61	5	60	73
7/8-9	-	-	-	4	12	20	4	24	40	4	40	67	4	48	81
1.0-8	-	-	-	2	6	13	2	12	26	2	20	44	2	24	52
1-1/8-7	-	-	-	1	3	8	1	6	16	1	10	28	1	12	33
1-1/4-7	-	-	-	1	3	10	1	6	20	1	10	35	1	12	42
1-1/2-6	-	-	-	1	3	15	1	6	30	1	10	50	1	12	60
MASTER	25 BUNDLES			25 BUNDLES			25 BUNDLES			25 BUNDLES			25 BUNDLES		

Packed and sold in bundle quantities. 304 Stainless Steel is available by the piece count.



Due to the size and nature of the product, rod is stocked out of our main locations and prepaid freight varies greatly.

Daggerz™ Self Drill Screws

Recommendation and Performance Data

IDENTIFICATION			RECOMMENDATION			PERFORMANCE		
DIAMETER	DRIVE	DRILL POINT	INCHES	METAL GAUGE	DRILL SPEED	MATERIAL	AXIAL LOAD	DRILL TIME
#6	1/4"	#2	.033" - .112"	20-12	2500 RPM	0.062"	30 LBS	2.5 SEC
#8	1/4"	#2	.033" - .112"	20-12	2500 RPM	0.062"	30 LBS	3.0 SEC
#10	5/16"	#2	.033" - .112"	20-12	2500 RPM	0.062"	35 LBS	3.5 SEC
#10	1/4"	#2	.033" - .112"	20-12	2500 RPM	0.062"	35 LBS	3.5 SEC
#10	5/16"	#3	.110" - .175"	12-8	2500 RPM	0.062"	35 LBS	3.5 SEC
#12	5/16"	#2 pilot	.033" - .210"	20-6	2500 RPM	0.062"	35 LBS	3.5 SEC
#12	5/16"	#3	.110" - .210"	12-6	1800 RPM	0.062"	45 LBS	4.0 SEC
#12	5/16"	#4	.175" - .290"	8-000	1500 RPM	0.375"	60 LBS	16.0 SEC
#12	5/16"	#5	.175" - .500"	8-0000000	1500 RPM	0.500"	60 LBS	30.0 SEC
#14	3/8"	#1 stitch	.033" - .110"	20-12	1500 RPM	0.062"	50 LBS	5.0 SEC
#14	3/8"	#3	.110" - .220"	12-3	1800 RPM	0.062"	45 LBS	5.0 SEC
#14	3/8"	#5	.175" - .500"	8-0000000	1500 RPM	0.500"	60 LBS	30.0 SEC

Daggerz™ Self Drill Screws

Ultimate Value Chart

TENSION (PULL OUT) LBS. and SHEAR (BEARING) LBS. (below)				METAL GAUGE 1(LB) THICKNESS							
Diameter	Nominal Screw Dia	Drill Point	Min Torsional Strength (LB)	20	18	16	14	12	1/8"	3/16"	1/4"
6-20	0.138	#2	24	263	426	598	911	1156	-	-	-
				683	728	1091	1148	-	-	-	-
8-18	0.164	#2	42	248	431	465	600	743	-	-	-
				583	876	1030	1340	944	-	-	-
10-16	0.190	#3	61	234	344	482	614	928	-	-	-
				639	924	1195	1443	1257	-	-	-
12-14	0.216	#3	92	227	360	480	669	904	1685	2456	-
				650	960	1280	1672	2191	-	-	-
12-24	0.216	#5	92	-	-	-	-	904	1666	2782	3123
				-	-	-	-	2757	4227	6324	8457
1/4-14	0.250	#1	156	287	407	537	683	873	1769	2537	-
				644	995	1381	1698	2295	-	-	-
1/4-14	0.250	#3	156	287	407	537	683	873	1769	2537	-
				644	995	1381	1698	2295	-	-	-
1/4-20	0.250	#5	150	-	-	-	-	873	1713	2843	3814
				-	-	-	-	3189	4893	7320	9789

Drilling capabilities may vary. These tables are intended as a guide only and do not constitute a warranty of any kind.



Daggerz™ Drywall, Deck, and Wood Working Screws

Ultimate Value Chart

TENSION (PULL OUT) LBS. and SHEAR LBS. METAL TO METAL (below)			METAL GAUGE 1(LB) or WOOD THICKNESS					
Type of Screw	Diameter	Min Torsional Strength (LB)	25	22	20	2 x 4 Redwood	3/4 Particle Board	2 x 4 Fir
Fine Thread	6	24	165	245	349	-	-	-
			410	601	620	-	-	-
Fine Thread	7	30	172	260	358	-	-	-
			412	625	628	-	-	-
Fine Thread	8	39	149	196	367	-	-	-
			337	591	829	-	-	-
Fine Thread	10	56	173	-	397	-	-	-
			363	-	834	-	-	-
Coarse Thread	6	24	-	-	-	318	284	424
			-	-	-	-	-	-
Coarse Thread	7	30	-	-	-	273	298	465
			-	-	-	-	-	-
Coarse Thread	8	39	-	-	-	518	290	540
			-	-	-	-	-	-
Coarse Thread	10	56	-	-	-	587	388	563
			-	-	-	-	-	-

Plating Comparison Chart

PRODUCT/ FINISH	FINISH CONTENT	APPLICATION	CORROSION RESISTANCE	ADVANTAGES	DISADVANTAGES
ZINC SHINY SILVER	ZINC PHOSPHATE	MINIMUM CORROSION RESISTANCE FOR ALL CARBON STEEL FASTENERS	24 HOUR SALT SPRAY	PRICE	SHORT LIFE WITH NO RESISTANCE TO ACID
PHOSPHATE DULL BLACK OR GRAY	BLACK OR GRAY PHOSPHATE	INTERIOR DRYWALL INSTALLATION FASTENERS	48 HOUR SALT SPRAY	PRICE	SHORT LIFE WITH NO RESISTANCE TO ACID
YELLOW ZINC SHINY YELLOW	ZINC PHOSPHATE WITH YELLOW DICHROMATE	PRIMARILY USED IN FURNITURE AND CABINETS	48 HOUR SALT SPRAY	PRICE APPEARANCE EASIER TO DRIVE	SHORT LIFE WITH NO RESISTANCE TO ACID
DACROMET SILVER	MULTI DICHROMATE COATING	OUTDOOR WOOD DECKING AND FENCING	500 HOUR SALT SPRAY	LONGER LIFE WITH SOME ACID RESISTANCE BASE COAT ADDS PROTECTION IF COATING IS COMPROMISED	ECONOMICAL COST WITH HIGHER LIFE THAN MOST COATINGS
DAGGER-GUARD MULTI COLOR	THREE LAYER PROCESS	EXTERIOR APPLICATIONS METAL BUILDING WOOD DECKING/ FENCING CEMENT BOARD CONCRETE/MASONRY	1000 HOUR SALT SPRAY	EXCELLENT CORROSION RESISTANCE AGAINST GAS, SALT WATER, SCRATCHES, WEATHERING, AND OTHER CORROSIVE FACTORS, INCLUDING CONTACT WITH OTHER METALS	HIGHER COST THAN OTHER COATINGS YET MORE ECONOMICAL THAN STAINLESS
DAGGER ULTRA-GUARD MULTI COLOR	ZINC/CHROMATE SUBSTRATE WITH PROPRIETARY ORGANIC TOPCOAT	FOR USE WITH ANY ACQ TREATED LUMBER	1000 HOUR SALT SPRAY ACQ APPROVED	SUPERIOR CORROSION RESISTANCE SPECIFICALLY IN ACQ TREATED LUMBER	HIGHER COST THAN OTHER COATINGS YET MORE ECONOMICAL THAN STAINLESS
DAGGER-PRO ULTRA-GUARD MULTI COLOR	ZINC/CHROMATE SUBSTRATE WITH PROPRIETARY ORGANIC TOPCOAT	FOR USE WITH ANY ACQ TREATED LUMBER	2000 HOUR SALT SPRAY ACQ APPROVED	BEST COATING AVAILABLE SPECIFICALLY IN ACQ TREATED LUMBER	HIGHER COST THAN OTHER COATINGS YET MORE ECONOMICAL THAN STAINLESS
DAGGER- CERAMIC MULTI COLOR	PRIMERSEAL BASE COAT WITH COLOR STABLE TOP COAT	ALUMINUM INDUSTRY	2000 HOUR SALT SPRAY	BEST COATING AVAILABLE FOR EXTREME ENVIRONMENTS IN THE ALUMINUM INDUSTRY	HIGHER COST THAN OTHER COATINGS AND LIMITED USE

All Salt Spray Certification in accordance with ASTM B117



Typical Applications - Attachment Ranges

Daggerz™ Self Drill Screws Phillips Thin Wafer Plymetal

PLYMETAL #3 PT SCREWS	ATTACHMENT RANGE TO STEEL FRAMING	MATL THICKNESS RANGE
10-24 x 3/4	1/4" Facia, Wood, Roofing, or Plywood	.110 - .175
10-24 x 1	1/4" - 3/8" Facia, Wood, Roofing, or Plywood	.110 - .175
10-24 x 1-1/4	1/4" - 1/2" Facia, Wood, Roofing, or Plywood	.110 - .175
10-24 x 1-1/2	1/4" - 1/2" Facia, Wood, Roofing, or Plywood	.110 - .175
10-24 X 1-7/16 with wings	5/8" - 3/4" Wood or Plywood	.110 - .175

Daggerz™ Self Drill Screws Phillips/Star Flat Head with wings

#4 PT SCREWS WITH WINGS	ATTACHMENT RANGE TO STEEL FRAMING	MATL THICKNESS RANGE
12-24 x 1-5/8	3/4" - 7/8" Wood or Plywood	.125 - .375
12-24 x 2	3/4" - 1-1/8" Wood or Plywood	.125 - .375
12-24 x 2-1/2	3/4" - 1-1/2" Wood or Plywood	.125 - .375
1/4-20 x 2-3/4	3/4" - 1-5/8" Wood or Plywood	.125 - .375
1/4-20 x 3	3/4" - 1-3/4" Wood or Plywood	.125 - .375
1/4-20 x 3-1/4	3/4" - 2-1/8" Wood or Plywood	.125 - .375
1/4-20 x 3-1/2	3/4" - 2-1/2" Wood or Plywood	.125 - .375
1/4-20 x 3-3/4	3/4" - 2-5/8" Wood or Plywood	.125 - .375

Information listed above is intended as a guide only and does not constitute a warranty of any kind.

Steel Stud Gauge Guide

STEEL GAUGE	26	25	22	20 (drywall)	20 (structural)	18	16	14	12	10
THICKNESS (IN)	0.0163	0.0179	0.0269	0.0296	0.0329	0.0428	0.0538	0.0677	0.0966	0.1180
THICKNESS (MIL)	16	18	27	30	33	43	54	68	97	118

Screw Size

NOMINAL SIZE	BASIC SCREW DIAMETER
6	0.1380
7	0.1510
8	0.1640
10	0.1900
12	0.2160
14 (1/4)	0.2500
3/8	0.3750

Inch Conversion

INCHES	DECIMAL
1/4"	0.250
3/8"	0.375
1/2"	0.500
5/8"	0.625
3/4"	0.750
7/8"	0.875
1"	1.000



Make us your choice for Custom Partner Programs.

We offer many different options and value added services.
Packaging is available in a variety of sizes, materials, and labeling options.
Bulk product can also be optimized to help meet your needs.

How can we customize your order today?

PACKAGING
1 lb and 5 lb sizes
100 and 1000 packs
Custom Quantities
Pails, Bags, and Boxes



PERSONALIZING
Private Labeling
Color Coding
Packaging Options
Bulk Options



ORDERING
Call, Fax, Email, or LOG IN
Prompt Response Time
Same Day Shipping*
High Fill Rates

IMPORTING
Customs not in our Inventory
Threaded Rod, Pre Tie Wire Direct
High Volume Blankets
Full Containers all year long!



Y
O
U
R

C
H
O
I
C
E

International Fasteners, Inc. DAGGERZ™ brand fasteners are sold exclusively through distribution with product strategically located throughout the U.S.

INTERNATIONAL FASTENERS, INC.

"The Distributor's Choice"



Quality Construction Fasteners

Make us your choice today!

TEL (888) 241-0203 • FAX (888) 241-2096 • EMAIL sales@daggerz.com

WEB www.daggerz.com

Corporate-Tampa

1341 Massaro Blvd
Tampa, FL 33619

Charlotte

11540-D Cordage St
Charlotte, NC 28273

Chicago

2801 Alft Lane
Elgin, IL 60124

Dallas

1110 Pamela Drive
Euless, TX 76040

Houston

4660 Pine Timbers, Suite 150
Houston TX 77041

Los Angeles


1940 S Carlos Ave
Ontario, CA 91761

Philadelphia

111 Darby Commons Ct
Folcroft, PA 19032

Salt Lake City

1511 South 700 West
Salt Lake City, UT 84104



tampa . charlotte . chicago . dallas . houston . los angeles . philadelphia . salt lake city