





**INTERNATIONAL
FASTENERS, INC.**

2026
Fastener
Product
Guide





Return Policy

After written authorization is received from International Fasteners, Inc., material returned for credit or exchange will be accepted provided the following conditions are met:

- Material must have been purchased within 120 days of return.
- Material must be in resalable condition in original packaging.
- Material returned for credit or exchange will be valued less 20% restocking charge.
- Material must be returned to International Fasteners, Inc. prepaid.

Freight on replacement material is subject to the freight policy in effect at the time of that shipment. Any special or custom order is final.



Warranty & Limitation of Liability

All warranties of the products listed herein expressed or implied, including the warranties of the merchantability and fitness for a particular purpose, are specially and expressly excluded with the following exception: At it's sole discretion, International Fasteners, Inc. will replace any product which it considers defective in material or workmanship except for normal wear and tear within 6 months from date of purchase from International Fasteners, Inc. Also, International Fasteners, Inc. shall not be liable for any injury, loss or damage direct, indirect, incidental, consequential, or that arising out of the use of, misuse of, negligence, accident, or inability to use any Daggerz™ brand product from International Fasteners, Inc. All quantities and weights are approximate and all information listed should be verified for reliability if necessary.



ABOUT



INTERNATIONAL FASTENERS, INC.

International Fasteners, Inc. was founded in 1996 and soon established the Daggerz™ brand of construction fasteners. With years of service to the fastener community, the team continued to grow what once began as a rep agency to the fastener industry into **"The Distributor's Choice"** throughout the United States. IFI has continued to grow the Daggerz™ brand into one of the most comprehensive selections of quality construction fasteners sold exclusively

through the distribution channel. Our offering includes an extensive line of self drilling, drywall, cement board, roofing, deck, wood working, concrete, sheet metal and specialty aluminum industry screws. Beyond screws, we also offer nails, bonded washers, bits, threaded rod, and acoustical hanger wire. Our Daggerz™ brand fasteners are packaged in color coded cartons for ease of material identification.

We have eight locations available, offering distributors prompt delivery of high-quality products all at competitive pricing. We are one of the largest importers of self drilling screws and the original industry leader to offer our screws in plastic buckets. International Fasteners, Inc.'s success is built on our dedication to service, our loyal distributors, the relationships with our quality suppliers, and most importantly: the true professionals who sell, service, and ship our products every day.

IFI specializes in programs that are customized to meet the specific needs of our distributors. We can do small packaging programs and with convenient shipping points, we are "large enough to handle your business, small enough to care." To give us a try and **Make Us Your Choice Today**, call (888) 241-0203 or email sales@daggerz.com.

Preferred Supplier Status






SELF DRILLING..... 05



DRYWALL..... 21



CEMENT BOARD..... 27



ACOUSTICAL..... 29



ROOFING..... 31




DECK..... 35



WOOD WORKING.....39



CONCRETE.....42



SHEET METAL.....45



ALUMINUM INDUSTRY.....47



BITS & WASHERS.....48



THREADED ROD.....49


SELF DRILLING



Hex Washer Head . #2 Point

ICC
ES ESR-4229

Size	QTY	LBS	Zinc	DAGGER GUARD Coating™	
6-20 x 3/8	15,000	37	SDZ0600038	-	1/4"
6-20 x 1/2	15,000	38	SDZ060012	-	1/4"
6-20 x 5/8	10,000	27	SDZ060058	-	1/4"
6-20 x 3/4	10,000	33	SDZ06034	-	1/4"
6-20 x 1	10,000	38	SDZ06100	-	1/4"
8-18 x 1/2	10,000	32	SDZ080012	SDCTSLV080012	1/4"
8-18 x 9/16*	10,000	38	SDZ08001916	-	1/4"
8-18 x 5/8	10,000	39	SDZ080058	-	1/4"
8-18 x 3/4	10,000	41	SDZ08034	SDCTSLV08034	1/4"
8-18 x 1	7,500	38	SDZ08100	SDCTSLV08100	1/4"
8-18 x 1-1/4	5,000	31	SDZ081104	-	1/4"
8-18 x 1-1/2	5,000	36	SDZ08112	-	1/4"
8-18 x 2	3,000	28	SDZ08200	-	1/4"
8-18 x 2-1/2	2,000	22	SDZ08212	-	1/4"
10-16 x 1/2	10,000	49	SDZ100012	SDCTSLV100012	5/16"



Hex Washer Head . #3 Point

ICC
ES ESR-4229

10-16 x 3/4*	7,000	37	SDZ100348	-	1/4"
--------------	-------	----	-----------	---	------



MAX Hex Washer Head . #3 Point

ICC
ES ESR-4229

Size	QTY	LBS	Zinc	HEAD HEIGHT	
10-16 x 3/4	6,000	40	SDZ10034MAX	.139 - .155	5/16"
10-16 x 3/4*	6,000	41	SDZ10034MAXS	.139 - .155	5/16"
10-16 x 3/4*	5,000	40	SDZ10034SMAXS	.172 - .190	5/16"
10-16 x 1*	3,000	25	SDZ1010MAXS	.139 - .155	5/16"
10-16 x 1-1/2*	2,500	28	SDZ10112MAXS	.139 - .155	5/16"



High head used for increased driving stability.

*with serrations under head



SELF DRILLING

ICC
ESR-4229

Hex Washer Head . #3 Point

Size	QTY	LBS	Zinc	 Coating™	
10-16 x 5/8	7,500	38	SDZ100058	SDCTSLV100058	5/16"
10-16 x 3/4	7,000	42	SDZ10034	SDCTSLV10034	5/16"
10-16 x 1	5,000	36	SDZ1010	SDCTSLV1010	5/16"
10-16 x 1-1/4	3,500	30	SDZ101104	SDCTSLV101104	5/16"
10-16 x 1-1/2	3,000	30	SDZ10112	SDCTSLV10112	5/16"
10-16 x 1-3/4	2,500	29	SDZ10134	-	5/16"
10-16 x 2	2,000	25	SDZ1020	SDCTSLV1020	5/16"
10-16 x 2-1/2	2,000	30	SDZ10212	SDCTSLV10212	5/16"
10-16 x 3	1,500	27	SDZ1030	-	5/16"
12-14 x 3/4	5,000	38	SDZ12034	SDCTSLV12034	5/16"
12-14 x 1	3,500	33	SDZ1210	SDCTSLV1210	5/16"
12-14 x 1-1/4	3,500	39	SDZ121104	SDCTSLV121104	5/16"
12-14 x 1-1/2	2,500	31	SDZ12112	SDCTSLV12112	5/16"
12-14 x 2	2,000	32	SDZ1220	SDCTSLV1220	5/16"
12-14 x 2-1/2	1,000	20	SDZ12212	SDCTSLV12212	5/16"
12-14 x 3	1,000	23	SDZ1230	SDCTSLV1230	5/16"
12-14 x 4	500	15	SDZ1240	SDCTSLV1240	5/16"
14-14 x 3/4	3,500	43	SDZ14034	SDCTSLV14034	3/8"
14-14 x 1	2,500	36	SDZ1410	SDCTSLV1410	3/8"
14-14 x 1-1/4	2,000	34	SDZ141104	SDCTSLV141104	3/8"
14-14 x 1-1/2	2,000	39	SDZ14112	SDCTSLV14112	3/8"
14-14 x 2	1,500	35	SDZ1420	SDCTSLV1420	3/8"
14-14 x 2-1/2	1,000	29	SDZ14212	SDCTSLV14212	3/8"
14-14 x 3	1,000	33	SDZ1430	SDCTSLV1430	3/8"
14-14 x 4	500	22	SDZ1440	SDCTSLV1440	3/8"
14-14 x 5	500	26	SDZ1450	SDCTSLV1450	3/8"
14-14 x 6	500	31	SDZ1460	SDCTSLV1460	3/8"
14-14 x 7	250	18	SDZ1470	SDCTSLV1470	3/8"
14-14 x 8	250	20	SDZ1480	SDCTSLV1480	3/8"

Recommended for metal to metal applications.



Hex Washer Head . #2 Point . with Washer

ICC
ES ESR-4229


Size	QTY	LBS	Zinc	DAGGER GUARD Coating™		
8-18 x 3/4	5,000	34	NEOSDZ08034	NEOSDCT08034	5/16"	1/2"
8-18 x 1	3,500	25	NEOSDZ08100	NEOSDCT08100	1/4"	1/2"
8-18 x 1-1/4	3,000	23	NEOSDZ081104	NEOSDCT081104	1/4"	1/2"
8-18 x 1-1/2	2,500	23	NEOSDZ08112	NEOSDCT08112	1/4"	1/2"




Hex Washer Head . #3 Point . with Washer

ICC
ES ESR-4229

10-16 x 3/4	5,000	38	NEOSDZ10034	NEOSDCT10034	5/16"	1/2"
10-16 x 1	4,000	36	NEOSDZ1010	NEOSDCT1010	5/16"	1/2"
10-16 x 1-1/4	3,500	36	NEOSDZ101104	NEOSDCT101104	5/16"	1/2"
10-16 x 1-1/2	3,000	33	NEOSDZ10112	NEOSDCT10112	5/16"	1/2"
10-16 x 2	2,000	29	NEOSDZ1020	NEOSDCT1020	5/16"	1/2"
10-16 x 2-1/2	1,500	25	NEOSDZ10212	NEOSDCT10212	5/16"	1/2"
10-16 x 3	1,000	21	NEOSDZ1030	NEOSDCT1030	5/16"	1/2"
12-14 x 3/4	3,000	31	NEOSDZ12034	NEOSDCT12034	5/16"	9/16"
12-14 x 1	3,000	35	NEOSDZ1210	NEOSDCT1210	5/16"	9/16"
12-14 x 1-1/4	3,000	39	NEOSDZ121104	NEOSDCT121104	5/16"	9/16"
12-14 x 1-1/2	2,500	37	NEOSDZ12112	NEOSDCT12112	5/16"	9/16"
12-14 x 2	1,500	28	NEOSDZ1220	NEOSDCT1220	5/16"	9/16"
12-14 x 2-1/2	1,000	22	NEOSDZ12212	NEOSDCT12212	5/16"	9/16"
12-14 x 3	1,000	26	NEOSDZ1230	NEOSDCT1230	5/16"	9/16"
12-14 x 4	500	17	NEOSDZ1240	NEOSDCT1240	5/16"	9/16"
14-14 x 3/4	3,000	46	NEOSDZ14034	NEOSDCT14034	3/8"	5/8"
14-14 x 1	2,500	44	NEOSDZ1410	NEOSDCT1410	3/8"	5/8"
14-14 x 1-1/4	2,000	40	NEOSDZ141104	NEOSDCT141104	3/8"	5/8"
14-14 x 1-1/2	1,500	33	NEOSDZ14112	NEOSDCT14112	3/8"	5/8"
14-14 x 2	1,500	39	NEOSDZ1420	NEOSDCT1420	3/8"	5/8"
14-14 x 2-1/2	1,000	32	NEOSDZ14212	NEOSDCT14212	3/8"	5/8"
14-14 x 3	1,000	36	NEOSDZ1430	NEOSDCT1430	3/8"	5/8"
14-14 x 4	500	23	NEOSDZ1440	NEOSDCT1440	3/8"	5/8"
14-14 x 5	500	28	NEOSDZ1450	NEOSDCT1450	3/8"	5/8"
14-14 x 6	500	32	NEOSDZ1460	NEOSDCT1460	3/8"	5/8"
14-14 x 7	250	19	NEOSDZ1470	NEOSDCT1470	3/8"	5/8"
14-14 x 8	250	21	NEOSDZ1480	NEOSDCT1480	3/8"	5/8"




EPDM bonded washer provides an optimal seal against moisture.





SELF DRILLING

Hex Washer Head . #2 Point



For use in corrosive environments.

Size	QTY	LBS	410 Stainless Steel	
8-18 x 1/2	10,000	34	SDSS080012	1/4"
8-18 x 5/8	10,000	37	SDSS080058	1/4"
8-18 x 3/4	10,000	42	SDSS08034	1/4"
8-18 x 1	5,000	26	SDSS08100	1/4"
10-16 x 1/2	7,500	35	SDSS10012	5/16"

Hex Washer Head . #3 Point

10-16 x 3/4	5,000	28	SDSS10034	5/16"
10-16 x 1	5,000	35	SDSS1010	5/16"
10-16 x 1-1/4	3,500	30	SDSS101104	5/16"
10-16 x 1-1/2	3,000	28	SDSS10112	5/16"
10-16 x 2	2,000	25	SDSS1020	5/16"
10-16 x 3	1,000	18	SDSS1030	5/16"
12-14 x 3/4	5,000	39	SDSS12034	5/16"
12-14 x 1	2,500	23	SDSS1210	5/16"
12-14 x 1-1/4	2,500	27	SDSS121104	5/16"
12-14 x 1-1/2	2,500	31	SDSS12112	5/16"
12-14 x 2	1,500	24	SDSS1220	5/16"
12-14 x 2-1/2	1,000	20	SDSS12212	5/16"
12-14 x 3	1,000	23	SDSS1230	5/16"
14-14 x 3/4	2,500	30	SDSS14034	3/8"
14-14 x 1	2,500	35	SDSS1410	3/8"
14-14 x 1-1/4	2,000	34	SDSS141104	3/8"
14-14 x 1-1/2	2,000	37	SDSS14112	3/8"
14-14 x 2	1,500	35	SDSS1420	3/8"
14-14 x 2-1/2	1,000	29	SDSS14212	3/8"

410 Stainless Steel provides protection against mild corrosive factors in metal applications, while retaining a higher hardness and more strength than 300-series Stainless Steel.



SELF DRILLING



Hex Washer Head . #3 Point

Size	QTY	LBS		
14-14 x 3	1,000	33	SDSSCT1430	3/8"
14-14 x 4	500	22	SDSSCT1440	3/8"
14-14 x 5	500	26	SDSSCT1450	3/8"
14-14 x 6	500	31	SDSSCT1460	3/8"
14-14 x 7	250	18	SDSSCT1470	3/8"
14-14 x 8	250	20	SDSSCT1480	3/8"



Hex Washer Head . #3 Point . with Washer

Size	QTY	LBS			
14-14 x 3	500	19	NEOSDSSCT1430	3/8"	5/8"
14-14 x 4	500	23	NEOSDSSCT1440	3/8"	5/8"
14-14 x 5	500	28	NEOSDSSCT1450	3/8"	5/8"
14-14 x 6	500	32	NEOSDSSCT1460	3/8"	5/8"
14-14 x 7	250	19	NEOSDSSCT1470	3/8"	5/8"
14-14 x 8	250	21	NEOSDSSCT1480	3/8"	5/8"

Dagger-Guard Coating™ over 410 Stainless Steel.

Hex Washer Head . #2 Point

Size	QTY	LBS	305 Stainless Steel	
8-18 x 1/2	10,000	22	SDSSS080012	1/4"



Hex Washer Head . #3 Point

10-16 x 3/4	5,000	21	SDSSS10034	5/16"
12-14 x 3/4	5,000	39	SDSSS12034	5/16"
14-14 x 3/4	2,500	18	SDSSS14034	3/8"




305 Stainless Steel provides optimal corrosion resistance in harsh environmental conditions, such as exposure to salt water.



SELF DRILLING

Hex Washer Head . #2 Point . with Washer



Size	QTY	LBS	410 Stainless Steel		
8-18 x 1/2	5,000	27	NEOSDSS08012	1/4"	1/2"
8-18 x 5/8	5,000	33	NEOSDSS080058	1/4"	1/2"
8-18 x 3/4	5,000	34	NEOSDSS08034	1/4"	1/2"
8-18 x 1	3,500	25	NEOSDSS08100	1/4"	1/2"
10-16 x 1/2	5,000	31	NEOSDSS100012	5/16"	1/2"

Hex Washer Head . #3 Point . with Washer

Size	QTY	LBS	410 Stainless Steel		
10-16 x 3/4	5,000	39	NEOSDSS10034	5/16"	1/2"
10-16 x 1	4,000	36	NEOSDSS1010	5/16"	1/2"
10-16 x 1-1/4	3,500	35	NEOSDSS101104	5/16"	1/2"
10-16 x 1-1/2	3,000	33	NEOSDSS10112	5/16"	1/2"
10-16 x 2	2,000	29	NEOSDSS1020	5/16"	1/2"
10-16 x 3	1,000	19	NEOSDSS1030	5/16"	1/2"
12-14 x 3/4	3,000	31	NEOSDSS12034	5/16"	9/16"
12-14 x 1	2,500	29	NEOSDSS1210	5/16"	9/16"
12-14 x 1-1/4	2,500	33	NEOSDSS121104	5/16"	9/16"
12-14 x 1-1/2	2,500	38	NEOSDSS12112	5/16"	9/16"
12-14 x 2	1,500	28	NEOSDSS1220	5/16"	9/16"
12-14 x 2-1/2	1,000	22	NEOSDSS12212	5/16"	9/16"
12-14 x 3	1,000	25	NEOSDSS1230	5/16"	9/16"
14-14 x 3/4	2,500	38	NEOSDSS14034	3/8"	5/8"
14-14 x 1	2,500	42	NEOSDSS1410	3/8"	5/8"
14-14 x 1-1/4	2,000	40	NEOSDSS141104	3/8"	5/8"
14-14 x 1-1/2	1,500	33	NEOSDSS14112	3/8"	5/8"
14-14 x 2	1,500	40	NEOSDSS1420	3/8"	5/8"
14-14 x 2-1/2	1,000	31	NEOSDSS14212	3/8"	5/8"

Recommended for metal to metal applications.

SELF DRILLING



Hex Washer Head . #1 Stitch Point

ICC
ES ESR-4229

Size	QTY	LBS	DAGGER GUARD Coating™	
1/4-14 x 7/8	4,000	43	STHCT1478	5/16"



Recommended in overlapping 20-14 gauge metal to metal applications.

Hex Washer Head . #4 Point

ICC
ES ESR-4229

Size	QTY	LBS	DAGGER GUARD Coating™	
12-24 x 7/8	4,000	36	SD4CT1278	5/16"




Recommended for metal to metal up to 3/8" thick.

Hex Washer Head . #5 Point

ICC
ES ESR-4229

Size	QTY	LBS	Zinc	DAGGER GUARD Coating™	
12-24 x 1-1/4	4,000	44	SD5Z121104	SD5CT121104	5/16"
12-24 x 1-1/2	2,000	27	SD5Z12112	SD5CT12112	5/16"
12-24 x 2	2,000	34	SD5Z1220	SD5CT1220	5/16"
1/4-20 x 1-1/2	1,500	28	-	SD5CT14112	3/8"
1/4-20 x 2	1,500	36	-	SD5CT1420	3/8"
1/4-20 x 2-1/2	1,000	28	-	SD5CT14212	3/8"
1/4-20 x 3	1,000	36	-	SD5CT1430	3/8"
1/4-20 x 4	500	24	-	SD5CT1440	3/8"
1/4-20 x 5*	250	17	-	SD5CT1450	3/8"
1/4-20 x 6*	250	18	-	SD5CT1460	3/8"
1/4-20 x 7*	250	20	-	SD5CT1470	3/8"
1/4-20 x 8*	250	23	-	SD5CT1480	3/8"



Recommended for metal to metal up to 1/2" thick.

**4" thread*





SELF DRILLING

ICC
ESR-4229

Hex Washer Head . #1 Stitch Point . with Washer



Size	QTY	LBS	Zinc	DAGGER GUARD Coating™		
1/4-14 x 7/8	2,500	32	NEOSTHZ1478	NEOSTHCT1478	5/16"	5/8"

Recommended in overlapping 20-14 gauge metal to metal applications.

ICC
ESR-4229

Hex Washer Head . #4 Point . with Washer



Size	QTY	LBS	Zinc	DAGGER GUARD Coating™		
12-24 x 7/8	4,000	46	NEOSD4CT1278		5/16"	9/16"

Recommended for metal to metal up to 3/8" thick.

ICC
ESR-4229

Hex Washer Head . #5 Point . with Washer



Size	QTY	LBS	Zinc	DAGGER GUARD Coating™		
12-24 x 1-1/4	2,000	31	NEOSD5Z121104	NEOSD5CT121104	5/16"	9/16"
12-24 x 1-1/2	2,000	32	NEOSD5Z12112	NEOSD5CT12112	5/16"	9/16"
12-24 x 2	2,000	39	NEOSD5Z1220	NEOSD5CT1220	5/16"	9/16"
1/4-20 x 1-1/2	1,500	33	-	NEOSD5CT14112	3/8"	5/8"
1/4-20 x 2	1,500	39	-	NEOSD5CT1420	3/8"	5/8"
1/4-20 x 2-1/2	1,000	32	-	NEOSD5CT14212	3/8"	5/8"
1/4-20 x 3	500	20	-	NEOSD5CT1430	3/8"	5/8"
1/4-20 x 4	500	25	-	NEOSD5CT1440	3/8"	5/8"
1/4-20 x 5*	250	18	-	NEOSD5CT1450	3/8"	5/8"
1/4-20 x 6*	250	19	-	NEOSD5CT1460	3/8"	5/8"
1/4-20 x 7*	250	21	-	NEOSD5CT1470	3/8"	5/8"
1/4-20 x 8*	250	24	-	NEOSD5CT1480	3/8"	5/8"

**4" thread*

Recommended for metal to metal up to 1/2" thick.



SELF DRILLING



Hex Washer Head . #5 Point

Size	QTY	LBS		
12-24 x 1-1/4	2,500	28	SD5SSCT121104	5/16"
12-24 x 1-1/2	2,000	27	SD5SSCT12112	5/16"
12-24 x 2	2,000	35	SD5SSCT1220	5/16"



Recommended for metal to metal up to 1/2" thick.

Hex Washer Head . #5 Point . with Washer

Size	QTY	LBS			
12-24 x 1-1/4	2,500	32	NEOSD5SSCT121104	5/16"	9/16"
12-24 x 1-1/2	2,000	29	NEOSD5SSCT12112	5/16"	9/16"
12-24 x 2	2,000	36	NEOSD5SSCT1220	5/16"	9/16"



Hex Washer Head . #1 Stitch Point . with Washer

Size	QTY	LBS			
1/4-14 x 7/8	2,500	32	NEOSTHSSCT1478	5/16"	5/8"



Recommended for overlapping 20-14 gauge metal to metal in corrosive environments.

Hex Washer Head . #2 Pilot Point . with Washer

Size	QTY	LBS			
12-24 x 7/8	2,500	36	NEOSD2SSCT121104	5/16"	9/16"



Recommended for applications requiring delayed thread engagement.

Dagger-Guard Coating™ over 410 Stainless Steel provides maximum corrosion resistance.



SELF DRILLING

Hex Flange Head . #1 Stitch Point . with Rubber Washer



Size	QTY	LBS		
1/4-14 x 7/8	2,500	37	FLGSD1CT14078	5/16"

Recommended for overlapping 20-14 gauge metal to metal applications.

Hex Flange Head . #2 Pilot Point . with Rubber Washer




Size	QTY	LBS		
12-14 x 1-1/4	2,500	40	FLGSD2CT121104	5/16"

Recommended for applications requiring delayed thread engagement.

Hex Flange Head . #3 Point . with Rubber Washer



Size	QTY	LBS		
10-16 x 3/4	4,000	38	FLGSD3CT10034	5/16"
10-16 x 1	3,000	31	FLGSD3CT1010	5/16"
10-16 x 1-1/2	3,000	32	FLGSD3CT10112	5/16"
12-14 x 3/4	3,000	38	FLGSD3CT12034	5/16"
12-14 x 1	3,000	44	FLGSD3CT1210	5/16"
12-14 x 1-1/4	2,500	41	FLGSD3CT121104	5/16"
12-14 x 1-1/2	2,000	36	FLGSD3CT12112	5/16"
12-14 x 2	1,500	32	FLGSD3CT1220	5/16"
12-14 x 3	1,000	23	FLGSD3CT1230	5/16"
14-14 x 3/4	2,500	37	FLGSD3CT14034	3/8"
14-14 x 1	2,000	35	FLGSD3CT1410	3/8"
14-14 x 1-1/4	1,500	31	FLGSD3CT141104	3/8"
14-14 x 1-1/2	1,000	23	FLGSD3CT14112	3/8"
14-14 x 2	1,000	27	FLGSD3CT1420	3/8"
14-14 x 3	1,000	33	FLGSD3CT1430	3/8"



Flange head cups the EPDM rubber washer, providing a leak proof seal.



Phillips Pan . #2 Point

Size	QTY	LBS	Zinc	+
6-20 x 3/8	15,000	26	PPSDZ0600038	#2
6-20 x 1/2	15,000	31	PPSDZ060012	#2
6-20 x 5/8	10,000	24	PPSDZ060058	#2
6-20 x 3/4	10,000	30	PPSDZ06034	#2
6-20 x 1	10,000	34	PPSDZ06100	#2
8-18 x 1/2	10,000	32	PPSDZ080012	#2
8-18 x 5/8	10,000	36	PPSDZ080058	#2
8-18 x 3/4	10,000	40	PPSDZ08034	#2
8-18 x 1	7,500	39	PPSDZ08100	#2
8-18 x 1-1/4	5,000	30	PPSDZ081104	#2
8-18 x 1-1/2	5,000	35	PPSDZ08112	#2
8-18 x 2	3,000	27	PPSDZ08200	#2
8-18 x 2-1/2	2,500	29	PPSDZ08212	#2
10-16 x 1/2	10,000	44	PPSDZ100012	#2

Phillips Pan . #3 Point

10-16 x 5/8	6,000	30	PPSDZ100058	#2
10-16 x 3/4	7,500	42	PPSDZ10034	#2
10-16 x 1	5,000	35	PPSDZ1010	#2
10-16 x 1-1/4	3,500	30	PPSDZ101104	#2
10-16 x 1-1/2	3,000	29	PPSDZ10112	#2
10-16 x 2	2,000	25	PPSDZ1020	#2
10-16 x 3	1,500	26	PPSDZ1030	#2
12-14 x 3/4	5,000	38	PPSDZ12034	#3
14-14 x 3/4	3,500	38	PPSDZ14034	#3

Pan head is recommended for light metal to metal applications where a lower profile head is desired, such as in HVAC and electrical use.


Call for availability on painted heads in white or bronze.






SELF DRILLING

Square Pan . #2 Point



Size	QTY	LBS	Zinc	☐
8-18 x 1/2	10,000	33	PSQSDZ08012	#2
8-18 x 3/4	10,000	42	PSQSDZ08034	#2
8-18 x 1	7,500	39	PSQSDZ08100	#2




Square Pan . #3 Point

10-16 x 3/4	7,500	44	PSQSDZ10034	#2
10-16 x 1	5,000	35	PSQSDZ1010	#2
10-16 x 1-1/2	3,000	29	PSQSDZ10112	#2

Phillips Oval . #2 Point




Size	QTY	LBS	Zinc	☐
6-20 x 1	10,000	32	OPSDZ06100	#2
8-18 x 3/4	10,000	40	OPSDZ08034	#2
8-18 x 1	8,000	38	OPSDZ08100	#2
8-18 x 1-1/4	5,000	29	OPSDZ081104	#2
8-18 x 1-1/2	5,000	34	OPSDZ08112	#2



Phillips Oval . #3 Point

10-16 x 3/4	7,000	32	OPSDZ10034	#2
10-16 x 1	5,000	31	OPSDZ1010	#2
10-16 x 1-1/4	3,500	28	OPSDZ101104	#2

Oval head is recommended for applications where a slight protruding head is preferred.



Phillips Flat . #2 Point

Size	QTY	LBS	Zinc	+
6-20 x 3/4	10,000	23	FPSDZ06034	#2
8-18 x 3/4	10,000	30	FPSDZ08034	#2
8-18 x 1	8,000	35	FPSDZ08100	#2
8-18 x 1-1/4	5,000	27	FPSDZ081104	#2
8-18 x 1-1/2	5,000	30	FPSDZ08112	#2
8-18 x 2	3,000	28	FPSDZ08200	#2



Phillips Flat . #3 Point

10-16 x 3/4	7,500	32	FPSDZ10034	#2
10-16 x 1	5,000	30	FPSDZ1010	#2
10-16 x 1-1/4	3,000	23	FPSDZ101104	#2
10-16 x 1-1/2	3,000	27	FPSDZ10112	#2
10-16 x 2	2,000	25	FPSDZ1020	#2
10-16 x 3	1,500	27	FPSDZ1030	#2
12-14 x 3/4	5,000	31	FPSDZ12034	#3
12-14 x 1	3,500	23	FPSDZ1210	#3
12-14 x 1-1/4	3,000	26	FPSDZ121104	#3
12-14 x 1-1/2	2,500	29	FPSDZ12112	#3
12-14 x 2	2,000	28	FPSDZ1220	#3
12-14 x 3	1,000	20	FPSDZ1230	#3
14-14 x 1	2,500	24	FPSDZ1410	#3
14-14 x 1-1/4	2,000	23	FPSDZ141104	#3
14-14 x 1-1/2	2,000	27	FPSDZ14112	#3
14-14 x 2	1,500	35	FPSDZ1420	#3
14-14 x 3	1,000	27	FPSDZ1430	#3
14-14 x 4	500	19	FPSDZ1440	#3
14-14 x 5	500	24	FPSDZ1450	#3
14-14 x 6	500	27	FPSDZ1460	#3



Recommended in applications where a low profile head is desired.




SELF DRILLING

Phillips Pan . #2 Point



Size	QTY	LBS	410 Stainless Steel	+
8-18 x 1/2	10,000	33	PPSDSS080012	#2
8-18 x 3/4	10,000	41	PPSDSS08034	#2
8-18 x 1	7,500	35	PPSDSS08100	#2




Phillips Pan . #3 Point

10-16 x 3/4	5,000	29	PPSDSS10034	#2
10-16 x 1	5,000	35	PPSDSS1010	#2

Phillips Flat. #2 Point



Size	QTY	LBS	410 Stainless Steel	+
8-18 x 3/4	10,000	30	FPSDSS08034	#2
8-18 x 1	8,000	35	FPSDSS08100	#2
8-18 x 1-1/4	5,000	27	FPSDSS081104	#2
8-18 x 1-1/2	5,000	30	FPSDSS08112	#2



Phillips Flat. #3 Point

10-16 x 3/4	7,500	32	FPSDSS10034	#2
10-16 x 1	5,000	30	FPSDSS1010	#2
10-16 x 1-1/4	3,000	23	FPSDSS101104	#2
10-16 x 1-1/2	3,000	27	FPSDSS10112	#2
10-16 x 2	2,000	25	FPSDSS1020	#2

410 Stainless Steel recommended for use in corrosive environments.



SELF DRILLING



Phillips Bugle . #2 Pilot Point

Size	QTY	LBS		
8-18 x 1-15/16	5,000	38	DWFB811516	#2



Square-Phillips Flat . #3 Pilot Point

Size	QTY	LBS		
10-16 x 1-13/16	2,500	23	FPSDCT1011316	#2




Specially designed for attaching wood ranging from 1/4" up to 3/4" to 16-8 gauge metal. Pilot point delays thread engagement, assuring that the drilling of the steel is completed first.

Dagger Ultra-Guard Coating™ provides excellent corrosion resistance, specialized for use in ACQ lumber.




Phillips Thin Wafer . #3 Point

Size	QTY	LBS	Zinc		
10-24 x 3/4	7,000	39	PLYSDZ10034	PLYSDCT10034M	#2
10-24 x 1	5,000	35	PLYSDZ1010	PLYSDCT1010M	#2
10-24 x 1-1/4	3,500	28	PLYSDZ101104	PLYSDCT101104M	#2
10-24 x 1-1/2	3,000	30	PLYSDZ10112	PLYSDCT10112M	#2
10-24 x 2	2,500	33	PLYSDZ1020	-	#2



Phillips Thin Wafer . #3 Point with Wings

Size	QTY	LBS	Zinc		
10-24 x 1-7/16	4,000	39	PLYSDZWW101716	PLYSDCTWW101716M	#2



Wafer head provides a flush fit with increased load bearing.




SELF DRILLING

Phillips Flat . #3, #4 Point with Wings

Size	QTY	LBS	Zinc	 Coating™	 Coating™	
10-16 x 1-5/8*	3,000	27	SD3ZWW10158	-	-	#2
12-24 x 1-5/8	3,000	34	-	SD4CTWW12158	-	#3
12-24 x 2*	2,000	32	SD3ZWW1220	SD4CTWW1220	SD4CTWW1220	#3
12-24 x 2-1/2	1,500	31	SD4ZWW12212	SD4CTWW12212	SD4CTWW12212	#3
1/4-20 x 2-3/4	1,000	30	SD4ZWW14234	SD4CTWW14234	SD4CTWW14234	#3
1/4-20 x 3	1,000	32	SD4ZWW1430	SD4CTWW1430	SD4CTWW1430	#3
1/4-20 x 3-1/4	900	31	SD4ZWW143104	SD4CTWW143104	SD4CTWW143104	#3
1/4-20 x 3-1/2	900	33	SD4ZWW14312	SD4CTWW14312	-	#3
1/4-20 x 3-3/4	500	20	SD4ZWW14334	SD4CTWW14334	SD4CTWW14334	#3

*zinc with #3 self drilling point



Wings drill a hole in the wood larger than the threads to delay engagement, then break off once hitting metal.

Star Flat . #3 Point with Wings

Size	QTY	LBS	 Coating™	
10-24 x 1-5/8	3,000	27	SD3CTWWST10158	T-25

Star Flat . #4 Point with Wings

12-24 x 2	2,000	32	SD4CTWWST1220	T-27
12-24 x 2-1/2	1,500	31	SD4CTWWST12212	T-27
1/4-20 x 2-3/4	1,000	30	SD4CTWWST14234	T-27
1/4-20 x 3	1,000	32	SD4CTWWST1430	T-27
1/4-20 x 3-1/4	900	31	SD4CTWWST143104	T-27
1/4-20 x 3-1/2	900	33	SD4CTWWST14312	T-27
1/4-20 x 3-3/4	500	20	SD4CTWWST14334	T-27

Phillips Flat . #4 Point with Wings




Size	QTY	LBS	410 Stainless Steel	
12-24 x 2	2,000	32	SD4SSWW1220	#3
12-24 x 2-1/2	1,500	31	SD4SSWW12212	#3
1/4-20 x 2-3/4	1,000	30	SD4SSWW14234	#3

Phillips Bugle . Coarse . Sharp

#2

Size	QTY	LBS	Phosphate	Yellow Zinc	Zinc
6-9 x 1	10,000	30	DWC06100	DWY06100	DWZ06100
6-9 x 1-1/8	10,000	34	DWC0611008	-	DWZ0611008
6-9 x 1-1/4	8,000	29	DWC061104	DWY061104	DWZ061104
6-9 x 1-1/2	6,000	25	DWC06112	DWY06112	DWZ06112
6-9 x 1-5/8	5,000	23	DWC06158	DWY06158	DWZ06158
6-9 x 2	3,500	19	DWC06200	DWY06200	DWZ06200
6-9 x 2-1/4	3,000	18	DWC06214	DWY06214	-
8-8 x 1-5/8	4,000	23	DWC08158	-	-
8-8 x 2-1/2	2,500	23	DWC08212	DWY08212	DWZ08212
8-8 x 3	2,000	22	DWC08300	DWY08300	DWZ08300
10-8 x 3-1/2	1,500	27	DWC10312	DWY10312	-
10-8 x 4	1,000	21	DWC1040	DWY1040	-
10-8 x 4-1/2	1,000	23	DWC10412	DWY10412	-
10-8 x 5	1,000	27	DWC1050	DWY1050	-
10-8 x 6	1,000	30	DWC1060	DWY1060	-



*Recommended for drywall and interior wood applications.
Yellow Zinc used for increased corrosion resistance.*

Phillips Bugle . Laminating

Size	QTY	LBS	Phosphate
10-8 x 1-1/2	5,000	39	LAM10112



Recommended to temporarily fasten drywall in double-layer applications.







DRYWALL

#2 

Phillips Bugle . Fine . Sharp



DRYWALL



METAL STUD

Size	QTY	LBS	Phosphate	Zinc
6-18 x 1	10,000	30	DWF06100	-
6-18 x 1-1/8	10,000	34	DWF0611008	-
6-18 x 1-1/4	8,000	29	DWF061104	DWFZ061104
6-18 x 1-1/2	6,000	25	DWF06112	-
6-18 x 1-5/8	5,000	23	DWF06158	-
6-18 x 2	3,500	19	DWF06200	-
6-18 x 2-1/4	3,000	18	DWF06214	-
8-15 x 2-1/2	2,500	23	DWF08212	-
8-15 x 3	2,000	22	DWF08300	-
10-12 x 3-1/2	1,500	27	DWF10312	-
10-12 x 4	1,000	21	DWF1040	-
10-12 x 4-1/2	1,000	23	DWF10412	-
10-12 x 5	1,000	27	DWF1050	-
10-12 x 6	1,000	30	DWF1060	-

Recommended for applying drywall to 25-20 gauge metal.

Phillips Bugle . Hi-Low . Sharp



Size	QTY	LBS	Phosphate
6-18 x 1-1/8	10,000	34	DWHL0611008
6-18 x 1-1/4	8,000	29	DWHL061104
6-18 x 1-5/8	5,000	23	DWHL06158
6-18 x 2	3,500	19	DWHL06200
6-18 x 2-1/4	3,000	18	DWHL06214
8-15 x 2-1/2	2,500	23	DWHL08212
8-15 x 3	2,000	22	DWHL08300

Recommended for applying drywall to light metal while increasing thread stripping resistance.



Phillips Bugle . #2 Point

ICC
ES ESL-1128


Size	QTY	LBS	Zinc	Phosphate	DAGGER GUARD Coating™
6-20 x 1	10,000	34	DWSDZ06100	DWSDB06100	-
6-20 x 1-1/8	10,000	40	DWSDZ0611008	DWSDB0611008	-
6-20 x 1-1/4	8,000	32	DWSDZ061104	DWSDB061104	DWSDCT061104
6-20 x 1-5/8	5,000	25	DWSDZ06158	DWSDB06158	DWSDCT06158
6-20 x 1-7/8	4,000	23	DWSDZ06178	DWSDB06178	DWSDCT06178
8-18 x 2	3,000	25	DWSDZ08200	-	-
8-18 x 2-3/8	3,000	30	DWSDZ08238	DWSDB08238	DWSDCT08238
8-18 x 2-5/8	2,000	22	DWSDZ08258	DWSDB08258	DWSDCT08258
8-18 x 3	2,000	24	DWSDZ08300	DWSDB08300	DWSDCT08300

Phillips Bugle . #3 Point

ICC
ES ESL-1128

10-16 x 3-1/2	1,500	30	DWSDZ10312	-	DWSDCT10312
10-16 x 4	1,000	24	DWSDZ1040	-	DWSDCT1040
10-16 x 5	1,000	28	DWSDZ1050	-	DWSDCT1050
10-16 x 6	1,000	31	DWSDZ1060	-	DWSDCT1060

DRYWALL




METAL STUD

Recommended for applying drywall to 20-14 gauge metal.


Dagger-Guard Coating™ 1000-hour salt spray provides excellent resistance against scratches and weathering.

#2






Phillips Pan Framing . Sharp . with Serrations



Size	QTY	LBS	Phosphate
7-23 x 7/16	10,000	25	PFSB0771610
7-23 x 7/16	15,000	40	PFSB07716

Recommended for attaching light gauge metal to metal studs.

Square Trim . Sharp



Size	QTY	LBS	Phosphate	
6-18 x 1	10,000	27	TRSQSB06100	#1
6-18 x 1-5/8	5,000	20	TRSQSB06158	#1
6-18 x 2-1/4	3,000	17	TRSQSB06214	#1
8-15 x 3	2,000	21	TRSQSB08300	#2

Recommended for attaching wood trim over drywall into light gauge metal or wood.


Phillips Pan Framing . #2 Point



Size	QTY	LBS	Zinc	Phosphate
7-19 x 7/16	10,000	25	PFSDZ0771610	PFSDB0771610
7-19 x 7/16	15,000	40	PFSDZ07716	PFSDB07716

Recommended for attaching metal track to metal studs.

Square Trim . #2 Point



Size	QTY	LBS	Zinc	
6-20 x 1	10,000	29	TRSQSDZ06100	#1
6-20 x 1-5/8	5,000	21	TRSQSDZ06158	#1
6-20 x 2-1/4	3,000	20	TRSQSDZ06214	#1
8-18 x 3	2,000	25	TRSQSDZ08300	#2

Recommended for attaching wood trim over drywall into metal.


DRYWALL



Phillips Modified Truss . Sharp

#2 

Size	QTY	LBS	Zinc
8-15 x 1/2	10,000	38	MTSZ080012
8-15 x 9/16	10,000	40	MTSZ0800916
8-15 x 3/4	8,000	37	MTSZ08034
8-15 x 1	5,000	28	MTSZ08100
8-15 x 1-1/4	5,000	33	MTSZ081104
8-15 x 1-5/8	4,000	32	MTSZ08158
8-15 x 1-7/8	3,000	26	MTSZ08178
8-15 x 2	3,000	28	MTSZ08200
8-15 x 2-1/2	2,500	29	MTSZ08212
8-15 x 3	2,000	25	MTSZ08300
10-12 x 3/4	5,000	27	MTSZ10034



*Recommended for attaching metal lath to wood or metal studs.
Also used in a variety of light metal applications.*

Phillips Modified Truss . Type 17

Size	QTY	LBS	305 Stainless Steel
8-15 x 1/2	10,000	38	MTSS080012
8-15 x 3/4	8,000	37	MTSS08034
8-15 x 1	5,000	28	MTSS08100
8-15 x 1-1/4	5,000	33	MTSS081104
8-15 x 1-5/8	4,000	32	MTSS08158
8-15 x 1-7/8	3,000	26	MTSS08178
8-15 x 2	3,000	28	MTSS08200
8-15 x 2-1/2	2,500	29	MTSS08212
8-15 x 3	2,000	25	MTSS08300



Type 17 point eliminates the need for pre-drilling and enables a smooth penetration.



Recommended for exterior applications requiring increased corrosion resistance.



DRYWALL

#2  **ES** ESR-4229 / ESL-1128

Phillips Modified Truss . #2 Point



Size	QTY	LBS	Zinc	Phosphate
8-18 x 1/2	10,000	38	MTSDZ08012	MTSDB08012
8-18 x 3/4	8,000	37	MTSDZ08034	MTSDB08034
8-18 x 1	5,000	28	MTSDZ08100	MTSDB08100
8-18 x 1-1/4	5,000	33	MTSDZ081104	MTSDB081104
8-18 x 1-5/8	4,000	32	MTSDZ08158	MTSDB08158
8-18 x 1-7/8	3,000	26	MTSDZ08178	-
8-18 x 2	3,000	28	MTSDZ08200	-
8-18 x 2-1/2	2,500	29	MTSDZ08212	-
8-18 x 3	2,000	25	MTSDZ08300	-

Phillips Modified Truss . #3 Point

10-16 x 3/4	5,000	27	MTSDZ10034	-
10-16 x 3-1/2	1,000	21	MTSDZ10312	-
10-16 x 4	1,000	24	MTSDZ1040	-
10-16 x 5	1,000	28	MTSDZ1050	-
10-16 x 6	500	16	MTSDZ1060	-
12-14 x 3/4	4,000	26	MTSDZ12034	-

Recommended for attaching metal lath to metal studs.

Phillips Modified Truss . #2 Point



Size	QTY	LBS	410 Stainless Steel
8-15 x 1/2	10,000	38	MTSDSS080012
8-15 x 3/4	8,000	37	MTSDSS08034
8-15 x 1	5,000	28	MTSDSS08100
8-15 x 1-1/4	5,000	33	MTSDSS081104
8-15 x 1-5/8	4,000	32	MTSDSS08158
8-15 x 1-7/8	3,000	26	MTSDSS08178
8-15 x 2	3,000	28	MTSDSS08200
8-15 x 2-1/2	2,500	29	MTSDSS08212
8-15 x 3	2,000	25	MTSDSS08300

CEMENT BOARD



Phillips Wafer . #2 Point


ICC
ES ESL-1128

#2

Size	QTY	LBS	
8-18 x 1-1/4	5,000	31	CMSD081104
8-18 x 1-5/8	4,000	30	CMSD08158
8-18 x 2-1/4	3,000	28	CMSD08214



Recommended to fasten cement board to metal in tile backer and underlayment applications



Phillips Wafer . #2 Point with Wings

Size	QTY	LBS	
8-18 x 1-1/4	5,000	31	CMSDWW081104
8-18 x 1-5/8	4,000	30	CMSDWW08158

Recommended to fasten fiber cement board to metal studs. Wings allow wafer head to sink flush with the application, and break off once hitting metal.






CEMENT BOARD

#2 



CEMENT BOARD



WOOD STUD

*Spade point penetrates the board without cracking.
Dagger-Guard Coating™ provides 1000 hour salt spray corrosion resistance.*

Phillips Wafer . Hi-Low . Spade

Size	QTY	LBS	 Coating™
8-15 x 1-1/4	5,000	31	CMSP081104
8-15 x 1-5/8	4,000	30	CMSP08158
8-15 x 2-1/4	3,000	28	CMSP08214

Recommended to fasten cement board to wood or light metal.





Eye Lag . #3 Point

ICC
ES ESL-5422

Size	QTY	LBS	Zinc
1/4-14 x 2	1,000	17	ELSDZ1420
1/4-14 x 3	1,000	24	ELSDZ1430



Eye Lag . Sharp

Size	QTY	LBS	Zinc
1/4-10 x 3	1,000	24	ELSZ1430
1/4-10 x 4	1,000	32	ELSZ1440
1/4-10 x 5	1,000	40	ELSZ1450



Acoustical eye lags also available in pails of 100 pcs.


Pre-Tie Ceiling Wire with Eye Lag

Size	QTY per BUNDLE	BUNDLES per CRATE	Electrogalvanized
12G x 4'	100	100	PTS12G041430
12G x 6'	100	100	PTS12G061430
12G x 8'	100	100	PTS12G081430


Pre-tied with 1/4" x 3 sharp point eye lag screws.

Eye Lag Driver



Size	Zinc
1/4-14 x 3	ELD1430



METAL JOIST




WOOD JOIST





ACOUSTICAL

Angle Clip & Pin



Scan for info



Size	QTY	Zinc
90° x 1-1/4"	100	PTSC90P1104

Angle Clip

Size	QTY	Zinc
90°	100	PTSC90

Packaged in boxes of 100 pcs and master cartons of 1,000 pcs.

Straight Ceiling Wire


Size	QTY per BUNDLE	BUNDLES per CRATE	Electrogalvanized
12G x 12'	100	50	PTS12G12

Pre-Tie Ceiling Wire with Clip & Pin



ICC
ES ESR-5278
90° CLIP
1-1/4" PIN

Size	QTY per BUNDLE	BUNDLES per CRATE	Electrogalvanized
12G x 6'	100	100	PTS12G061104
12G x 8'	100	100	PTS12G081104
12G x 10'	100	50	PTS12G101104
12G x 12'	100	50	PTS12G121104





Hex Washer Head . Type 17 . without Washer


Size	QTY	LBS		
9-15 x 1	4,000	34	DAGCTWOW0910T17	1/4"
9-15 x 1-1/2	2,500	26	DAGCTWOW09112T17	1/4"
9-15 x 2	2,000	24	DAGCTWOW0920T17	1/4"
9-15 x 2-1/2	1,500	22	DAGCTWOW09212T17	1/4"
9-15 x 3	1,000	18	DAGCTWOW0930T17	1/4"



Hex Washer Head . Type 17




Size	QTY	LBS			
9-15 x 1	4,000	36	DAGCT0910T17	1/4"	1/2"
9-15 x 1-1/2	2,500	27	DAGCT09112T17	1/4"	1/2"
9-15 x 2	2,000	26	DAGCT0920T17	1/4"	1/2"
9-15 x 2-1/2	1,500	25	DAGCT09212T17	1/4"	1/2"
9-15 x 3	1,000	19	DAGCT0930T17	1/4"	1/2"
10-14 x 1*	2,500	20	DAGCT1010T17	1/4"	1/2"
10-14 x 1-1/2*	2,500	27	DAGCT10112T17	1/4"	1/2"
10-14 x 2*	2,000	27	DAGCT1020T17	1/4"	1/2"
10-14 x 2-1/2*	1,500	22	DAGCT10212T17	1/4"	1/2"
10-14 x 3*	1,000	17	DAGCT1030T17	1/4"	1/2"
12-11 x 3/4	2,500	22	DAGCT12034T17	1/4"	9/16"
14-10 x 3/4	3,000	41	DAGCT14034T17	5/16"	5/8"
14-10 x 1	2,500	40	DAGCT1410T17	5/16"	5/8"
14-10 x 1-1/4	2,000	37	DAGCT141104T17	5/16"	5/8"
14-10 x 1-1/2	1,500	31	DAGCT14112T17	5/16"	5/8"
14-10 x 2	1,000	25	DAGCT1420T17	5/16"	5/8"
14-10 x 3	1,000	33	DAGCT1430T17	5/16"	5/8"



Dagger-Tite™ screws available with EPDM washers *hi-low thread are optimal for applications where a leak-proof seal is preferred.

Hex Head . Type AB



Size	QTY	LBS			
17-14 x 1	2,000	42	DAGCT1710TAB	3/8"	5/8"
17-14 x 1-1/2	1,500	44	DAGCT17112TAB	3/8"	5/8"

Recommended in applications to replace 1/4" diameter screws where the threads have stripped out.

DAGGER-CAP



Hex Zinc Alloy Cap . Type 17



Size	QTY	LBS			
10-14 x 1-1/2*	2,000	38	DAGCTZ10112T17	5/16"	1/2"

Zinc alloy cap provides extra protection and corrosion resistance while aiding in a superior leak proof seal with EPDM washer.

Each crush resistant carton of Dagger-Tite™ screws features 250-count bags, ready to-go on the jobsite.



Hex Washer Head . Type 17

Size	QTY	LBS	304 Stainless Steel		
10-14 x 1-1/2*	2,500	27	DAGSSS10112T17	1/4"	1/2"

**hi-low thread*



304 Stainless Steel provides increased corrosion resistance in harsh environmental conditions.

ROOFING



Square-Phillips Pancake . Type 17

Size	QTY	LBS	
10-13 x 1	5,000	35	LOPROT17GPCT1010
10-13 x 1-1/2	2,000	20	LOPROT17GPCT10112
10-13 x 2	2,000	26	LOPROT17GPCT1020
10-13 x 2-1/2	1,500	21	LOPROT17GPCT10212
10-13 x 3	1,500	24	LOPROT17GPCT1030
12-11 x 1	5,000	44	LOPROT17GPCT1210
12-11 x 1-1/2	2,500	31	LOPROT17GPCT12112

Recommended for attaching panel clips to wood or light metal.

Square-Phillips Low Pancake . Type 17

Size	QTY	LBS	
10-9 x 1-1/8	5,000	30	LOPROU1011008
12-8 x 1-1/8	5,000	32	LOPROU1211008

Recommended where a lower profile head is desired.

Square-Phillips Pancake . Type 17


Size	QTY	LBS	302 Stainless Steel
10-13 x 1	5,000	35	LOPROT17GPSSS1010
10-13 x 1-1/2	2,000	20	LOPROT17GPSSS10112
10-13 x 2	2,000	26	LOPROT17GPSSS1020

Recommended for optimum corrosion resistance.

Square-Phillips Low Pancake . Type 17

Size	QTY	LBS	
10-9 x 1-1/8	5,000	30	LOPROUSS1011008


Dagger-Guard Coating™ over 410 Stainless Steel.



#2 



Square-Phillips Pancake . #3 Point



Size	QTY	LBS	Zinc	
10-16 x 5/8	7,000	37	LOPROSDZ10058	LOPROSDCT10058
10-16 x 1	5,000	35	-	LOPROSDCT1010
10-16 x 1-1/2	3,000	28	-	LOPROSDCT10112
10-16 x 2	2,000	26	-	LOPROSDCT1020
12-14 x 1	5,000	44	-	LOPROSDCT1210
12-14 x 1-1/2	3,000	37	-	LOPROSDCT12112
12-14 x 2	2,000	30	-	LOPROSDCT1220

Recommended for attaching panel clips to metal studs.


Square-Phillips Pancake . #3 Point



Size	QTY	LBS	
10-16 x 1	5,000	35	LOPROSDSS1010

Dagger-Guard Coating™ over 410 Stainless Steel.

Flat Head . Ring Shank



Roofing nails available in both 25 lb buckets and 3,600 pc or 7,200 pc coil boxes.

Size	QTY	LBS	304 Stainless Steel
11G x 1-1/4	5,000	25	NAILSSB11125
11G x 1-1/2	4,250	25	NAILSSB11150
11G x 2	3,500	25	NAILSSB11200
11G x 2-1/2	2,750	25	NAILSSB11250
11G x 3	2,250	25	NAILSSB11300

Size	QTY	LBS	304 Stainless Steel	QTY	LBS	304 Stainless Steel
11G x 1-1/4	3,600	15	NAILSSC1112530	7,200	30	NAILSSC11125
11G x 1-1/2	3,600	17	NAILSSC1115030	7,200	35	NAILSSC11150
11G x 1-3/4	3,600	20	NAILSSC1117530	7,200	40	NAILSSC11175




Phillips Bugle . Sharp

#2 

Size	QTY	LBS	Dacromet
6-9 x 1	10,000	32	DKPD06100
6-9 x 1-1/4	8,000	29	DKPD061104
6-9 x 1-5/8	5,000	23	DKPD06158
6-9 x 2	3,500	20	DKPD06200
6-9 x 2-1/4	3,000	20	DKPD062104
8-8 x 2-1/2	2,500	23	DKPD08212
8-8 x 3	2,000	22	DKPD08300
10-8 x 3-1/2	1,500	27	DKPD10312
10-8 x 4	1,000	21	DKPD1040
10-8 x 5	1,000	26	DKPD1050
10-8 x 6	1,000	31	DKPD1060



EXTERIOR WOOD



EXTERIOR WOOD

Square Bugle . Sharp

#2 

Size	QTY	LBS	Dacromet	
6-9 x 1-1/4	8,000	29	DKSQD061104	ACQDK061104TAN
6-9 x 1-5/8	5,000	23	DKSQD06158	ACQDK06158TAN
6-9 x 2	3,500	20	DKSQD06200	ACQDK06200TAN
8-8 x 2-1/2	2,500	23	DKSQD08212	ACQDK08212TAN
8-8 x 3	2,000	22	DKSQD08300	ACQDK08300TAN
10-8 x 3-1/2	1,500	27	DKSQD10312	ACQDK10312TAN
10-8 x 4	1,000	21	DKSQD1040	-



Phillips Flat with Nibs . Type 17

#2 

Size	QTY	LBS	
8-9 x 1-1/4	7,500	36	ACQDLFLPH081104TAN
8-9 x 1-5/8	5,000	31	ACQDLFLPH081158TAN
8-9 x 2	3,500	27	ACQDLFLPH08200TAN
8-9 x 2-1/2	2,500	23	ACQDLFLPH08212TAN
8-9 x 3	1,500	17	ACQDLFLPH08300TAN



Dagger Ultra-Guard Coating™ is specialized for use in ACQ treated lumber, offering superior corrosion resistance in exterior applications.

Flat head with nibs help prevent spin-out and allow countersinking.


T-25 

Star Flat with Nibs . Type 17

Size	QTY	LBS	Yellow Zinc		
8-9 x 1-1/4	7,500	36	DKSTY081104	ACQSTAR081104	ACQSTAR081104D
8-9 x 1-5/8	5,000	31	DKSTY08158	ACQSTAR081158	ACQSTAR081158D
8-9 x 2	3,500	27	DKSTY08200	ACQSTAR08200	ACQSTAR08200D
9-8 x 2-1/2	2,500	26	DKSTY09212	ACQSTAR09212	ACQSTAR09212D
9-8 x 3	1,500	18	DKSTY09300	ACQSTAR09300	ACQSTAR09300D
10-8 x 2-1/2	2,500	31	DKSTY10212	ACQSTAR10212	ACQSTAR10212D
10-8 x 3	1,500	21	DKSTY1030	ACQSTAR10300	ACQSTAR10300D
10-8 x 3-1/2	1,000	17	DKSTY10312	ACQSTAR10312	ACQSTAR10312D
10-8 x 4	1,000	19	DKSTY1040	ACQSTAR1040	ACQSTAR1040D
10-8 x 5	1,000	26	DKSTY1050	ACQSTAR1050	ACQSTAR1050D
10-8 x 6	1,000	31	DKSTY1060	ACQSTAR1060	ACQSTAR1060D

#2 

Square Flat with Nibs . Type 17



Size	QTY	LBS	
8-9 x 1	10,000	40	ACQDLFLSQ08100TAN
8-9 x 1-1/4	7,500	36	ACQDLFLSQ081104TAN
8-9 x 1-1/2	5,000	28	ACQDLFLSQ08112TAN
8-9 x 1-5/8	5,000	31	ACQDLFLSQ081158TAN
8-9 x 2	3,500	27	ACQDLFLSQ08200TAN
8-9 x 2-1/4	3,000	25	ACQDLFLSQ082104TAN
8-9 x 2-1/2	2,500	23	ACQDLFLSQ08212TAN
8-9 x 3	1,500	17	ACQDLFLSQ08300TAN
10-8 x 3	1,500	21	ACQDLFLSQ1030TAN
10-8 x 3-1/2	1,000	17	ACQDLFLSQ10312TAN
10-8 x 4	1,000	19	ACQDLFLSQ1040TAN

T-15 

Star Trim with Nibs . Type 17



Size	QTY	LBS	
7-9 x 1-5/8	5,000	25	ACQTST07158
7-9 x 2-1/4	3,000	21	ACQTST07214
8-9 x 3	2,000	23	ACQTST08300



Square Flat with Nibs . Type 17

#2


Size	QTY	LBS	305 Stainless Steel
8-9 x 1-1/4	5,000	28	DKSS081104
8-9 x 1-5/8	4,000	29	DKSS08158
8-9 x 2	3,000	25	DKSS08200
8-9 x 2-1/2	2,500	24	DKSS08212
10-8 x 2-1/2	2,000	23	DKSS10212
10-8 x 3	1,500	21	DKSS1030
10-8 x 3-1/2	1,000	17	DKSS10312
10-8 x 4	1,000	19	DKSS1040



Star Flat with Nibs . Type 17

Size	QTY	LBS	305 Stainless Steel	
8-9 x 1-1/4	7,500	36	DKSTSS081104	T-20
8-9 x 1-5/8	5,000	31	DKSTSS08158	T-20
9-8 x 2	2,500	25	DKSTSS09200	T-25
9-8 x 2-1/2	2,000	19	DKSTSS09212	T-25
9-8 x 3	1,500	18	DKSTSS09300	T-25
10-8 x 2-1/2	2,000	23	DKSTSS10212	T-25
10-8 x 3	1,500	21	DKSTSS10300	T-25
10-8 x 3-1/2	1,000	17	DKSTSS10312	T-25
10-8 x 4	1,000	19	DKSTSS1040	T-25
12-8 x 5	500	18	DKSTSS1250	T-27
12-8 x 6	500	21	DKSTSS1260	T-27

EXTERIOR WOOD



EXTERIOR WOOD

Star Flat with Nibs . Type 17

Size	QTY	LBS	316 Stainless Steel	
10-8 x 2-1/2	2,000	23	DKSTSSS10212	T-25
10-8 x 3	1,500	21	DKSTSSS10300	T-25
10-8 x 3-1/2	1,000	18	DKSTSSS10312	T-25



316 Stainless Steel recommended for use in environments with highly corrosive factors such as high moisture.

#1  T-15 



Square Trim with Nibs . Type 17

Size	QTY	LBS	305 Stainless Steel
7-9 x 1-5/8	5,000	25	DKTSS07158
7-9 x 2-1/4	3,000	21	DKTSS07214
8-9 x 3	2,000	23	DKTSS08300

Star Trim with Nibs . Type 17

Size	QTY	LBS	305 Stainless Steel
7-9 x 1-5/8	5,000	25	DKTSTSS07158
7-9 x 2-1/4	3,000	21	DKTSTSS07214
8-9 x 3	2,000	23	DKTSTSS08300

#2  T-15 



Button head design helps minimize mushrooming while 305 Stainless Steel offers superior corrosion resistance for exterior composite deck applications.


Dual-thread ensures flush application by catching loose material.

Square Composite . Type 17

Size	QTY	LBS	305 Stainless Steel
10-18/9 x 2-1/2	2,000	27	DKCSS10212
10-18/9 x 3	1,000	16	DKCSS1030

Star Composite . Type 17

Size	QTY	LBS	305 Stainless Steel
10-18/9 x 2-1/2	2,000	27	DKCSTSS10212
10-18/9 x 3	1,000	16	DKCSTSS1030



Phillips Slotted Truss . Break-Away Type B

#2

Size	QTY	LBS	Zinc
8-32 x 1-3/4	4,000	36	PTBZ08134
M4 x 45MM	4,000	36	PTBZ445MM



Recommended for attaching cabinet hardware, featuring four notches to "break-away" the screw at the desired length.

Pozi Flat with Nibs Confirmat . Sharp

#3

Size	QTY	LBS	Zinc
M7 x 50MM	2,000	36	DLCON750MM



Recommended for particle board applications in furniture.

Square Face Framers . Hi-Low . Type 17

#2

Size	QTY	LBS	Lubricized
6-18 x 1-1/4	8,000	37	DLFA061104
6-18 x 1-1/2	7,000	37	DLFA06112



Square Round Washer . Type 17

#2

Size	QTY	LBS	Zinc	Lubricized
8-9 x 3/4	10,000	39	DLRWSQZ08034	-
8-9 x 1	8,000	39	DLRWSQZ08100	-
8-9 x 1-1/8	6,000	32	DLRWSQZ0811008	-
8-9 x 1-1/4	6,000	35	DLRWSQZ081104	DLRWSQL081104
8-9 x 1-1/2	5,000	32	DLRWSQZ08112	DLRWSQL08112
8-9 x 1-3/4	4,000	26	DLRWSQZ08134	-
8-9 x 2	3,000	26	DLRWSQZ08200	DLRWSQL08200
8-9 x 2-1/4	2,000	19	DLRWSQZ082104	-
8-9 x 2-1/2	2,000	20	DLRWSQZ08212	DLRWSQL08212
8-9 x 3	1,500	19	DLRWSQZ08300	DLRWSQL08300
10-8 x 3-12*	1,000	19	DLRWSQZY10312	-



Recommended for pocket hole joinery.

**yellow zinc*

#2 



Square Flat with Nibs . Type 17

Size	QTY	LBS	Zinc	Lubricized	Black Oxide
8-9 x 3/4	10,000	31	DLFLSQZ08034	DLFLSQL08034	-
8-9 x 1	10,000	40	DLFLSQZ08100	DLFLSQL08100	DLFLSQB08100
8-9 x 1-1/8	10,000	45	DLFLSQZ0811008	-	-
8-9 x 1-1/4	7,500	36	DLFLSQZ081104	DLFLSQL081104	DLFLSQB081104
8-9 x 1-1/2	5,000	28	DLFLSQZ08112	DLFLSQL08112	DLFLSQB08112
8-9 x 1-5/8	5,000	31	DLFLSQZ081158	DLFLSQL081158	DLFLSQB081158
8-9 x 1-3/4	4,000	26	DLFLSQZ08134	DLFLSQL08134	DLFLSQB08134
8-9 x 2	3,500	27	DLFLSQZ08200	DLFLSQL08200	DLFLSQB08200
8-9 x 2-1/4	3,000	25	DLFLSQZ082104	DLFLSQL082104	DLFLSQB082104
8-9 x 2-1/2	2,500	23	DLFLSQZ08212	DLFLSQL08212	DLFLSQB08212
8-9 x 3	1,500	17	DLFLSQZ08300	DLFLSQL08300	DLFLSQB08300
8-9 x 3-1/2	1,000	14	DLFLSQZ08312	-	-
8-9 x 4	1,000	16	DLFLSQZ08400	-	-
10-8 x 1	6,000	44	DLFLSQZ1010	-	-
10-8 x 1-1/4	5,000	41	DLFLSQZ101104	-	-
10-8 x 1-1/2	4,000	36	DLFLSQZ10112	-	-
10-8 x 1-5/8	4,000	39	DLFLSQZ101158	-	-
10-8 x 1-3/4	3,500	34	DLFLSQZ10134	-	-
10-8 x 2	3,000	33	DLFLSQZ1020	-	-
10-8 x 2-1/2	2,000	25	DLFLSQZ10212	-	-
10-8 x 3	1,500	21	DLFLSQZ1030	DLFLSQL1030	-
10-8 x 3-1/2	1,000	17	DLFLSQZ10312	DLFLSQL10312	-
10-8 x 4	1,000	19	DLFLSQZ1040	DLFLSQL1040	-


Dagger-Lok™ flat head screws feature nibs under head to allow the screw to countersink flush with the application material and stay put.

Recommended for a variety of interior wood applications.

Phillips Flat with Nibs . Type 17

#2


Size	QTY	LBS	Zinc	Lubricized
6-9 x 3/4	15,000	31	DLFLPHZ06034**	-
8-9 x 3/4	10,000	31	DLFLPHZ08034**	DLFLPHL08034**
8-9 x 1	10,000	40	DLFLPHZ08100**	DLFLPHL08100**
8-9 x 1-1/4	7,500	36	DLFLPHZ081104**	DLFLPHL081104**
8-9 x 1-1/2	5,000	28	DLFLPHZ08112**	DLFLPHL08112**
8-9 x 1-5/8	5,000	31	DLFLPHZ081158**	-
8-9 x 1-3/4	4,000	26	DLFLPHZ08134**	-
8-9 x 2	3,500	27	DLFLPHZ08200**	DLFLPHL08200**
8-9 x 2-1/4	3,000	25	DLFLPHZ082104**	-
8-9 x 2-1/2	2,500	23	DLFLPHZ08212**	DLFLPHL08212**
8-9 x 3	1,500	17	DLFLPHZ08300**	DLFLPHL08300**



Square-Phillips Flat with Nibs . Type 17

#2

Size	QTY	LBS	Zinc
8-9 x 1	10,000	40	DLFLSPZ08100
8-9 x 1-1/4	7,500	36	DLFLSPZ081104
8-9 x 1-1/2	5,000	28	DLFLSPZ08112
8-9 x 1-5/8	5,000	31	DLFLSPZ081158
8-9 x 2	3,500	27	DLFLSPZ08200
8-9 x 2-1/2	2,500	23	DLFLSPZ08212
8-9 x 3	1,500	17	DLFLSPZ08300



A combo drive creates flexibility when drilling—offering the option between a square or phillips drive.

Phillips Flat Hinge . Sharp

#2

Size	QTY	LBS	Nickel	Zinc
6-13 x 1/2	25,000	37	DLHINGEN06012	DLHINGEZ06012
6-13 x 5/8	20,000	33	DLHINGEN06058	DLHINGEZ06058






CONCRETE

Hex Flange Head . Hi-Low . Diamond



Size	QTY	LBS	Yellow Zinc			
1/4-15 x 1-3/4	2,000	40	QCZ14134	QCCT14134WHT	QCCT14134BRZ	5/16"
1/4-15 x 2-1/4	1,000	25	QCZ14214	QCCT14214WHT	QCCT14214BRZ	5/16"
1/4-15 x 3	1,000	30	QCZ1430	QCCT1430WHT	QCCT1430BRZ	5/16"
1/4-15 x 4	500	24	QCZ1440	QCCT1440WHT	QCCT1440BRZ	5/16"
1/4-15 x 5	500	26	QCZ1450	QCCT1450WHT	QCCT1450BRZ	5/16"
1/4-15 x 6	250	14	QCZ1460	QCCT1460WHT	QCCT1460BRZ	5/16"
3/8-16 x 3	350	21	QCZ3803	QCCT3803WHT	QCCT3803BRZ	9/16"



Phillips Flat . Hi-Low . Sharp



Size	QTY	LBS		
3/16-16 x 2-1/4	2,500	31	CONCTF0316214WHTB	CONCTF0316214BRZ
3/16-16 x 2-3/4	1,500	23	CONCTF0316234WHTB	CONCTF0316234BRZ
3/16-16 x 3-1/4	1,500	29	CONCTF0316314WHTB	CONCTF0316314BRZ
3/16-16 x 3-3/4	1,000	20	CONCTF0316334WHT	-



Phillips Trim . Hi-Low . Sharp

1/4-14 x 2-3/4	1,000	23	CONT14234WHT	CONT14234BRZ
1/4-14 x 3-1/4	1,000	27	CONT14314WHT	CONT14314BRZ



Dagger-Con™ flat, trim, and hex washer head concrete screws are Miami-Dade County Product Control Approved under NOA-No. 22-0302.02.

Scan for info




Masonry Drill Bit

Diameter	3-1/2" L	4-1/2" L	5-1/2" L	6-1/2" L	7-1/2" L
5/32"	BITMA00532312	BITMA00532412	BITMA00532512	BITMA00532612	-
3/16"	BITMA0316312	BITMA0316412	BITMA0316512	BITMA0316612	BITMA0316712



Slotted Hex Washer Head . Hi-Low . Sharp

Size	QTY	LBS		DRILL BIT	
3/16-16 x 1-1/4	4,000	30	CONHB*0316114	5/32 x 3-1/2	1/4"
3/16-16 x 1-3/4	2,500	26	CONHB*0316134	5/32 x 3-1/2	1/4"
3/16-16 x 2-1/4	2,500	31	CONHB*0316214	5/32 x 4-1/2	1/4"
3/16-16 x 2-3/4	1,500	23	CONHB*0316234	5/32 x 4-1/2	1/4"
3/16-16 x 3-1/4	1,500	27	CONHB*0316314	5/32 x 5-1/2	1/4"
3/16-16 x 3-3/4	1,000	20	CONHB*0316334	5/32 x 5-1/2	1/4"
3/16-16 x 4	1,000	21	CONHB*031640	5/32 x 6-1/2	1/4"
1/4-14 x 1-1/4	2,500	31	CONHB*14114	3/16 x 3-1/2	5/16"
1/4-14 x 1-3/4	2,000	33	CONHB*14134	3/16 x 3-1/2	5/16"
1/4-14 x 2-1/4	1,500	31	CONHB*14214	3/16 x 4-1/2	5/16"
1/4-14 x 2-3/4	1,000	25	CONHB*14234	3/16 x 4-1/2	5/16"
1/4-14 x 3-1/4	1,000	29	CONHB*14314	3/16 x 5-1/2	5/16"
1/4-14 x 3-3/4	500	16	CONHB*14334	3/16 x 5-1/2	5/16"
1/4-14 x 4	500	20	CONHB*1440	3/16 x 6-1/2	5/16"
1/4-14 x 5	500	24	CONHB*1450	3/16 x 7-1/2	5/16"
1/4-14 x 6	500	26	CONHB*1460	3/16 x 7-1/2	5/16"



Concrete screw packs also available in boxes of 100 pcs with drill bit.

Hex Washer Head . Hi-Low . Sharp

Size	QTY	LBS		DRILL BIT	
1/4-14 x 1-1/4	2,500	31	CONHSSCTB*14114	3/16 x 3-1/2	5/16"
1/4-14 x 1-3/4	2,000	33	CONHSSCTB*14134	3/16 x 3-1/2	5/16"
1/4-14 x 2-1/4	1,500	31	CONHSSCTB*14214	3/16 x 4-1/2	5/16"
1/4-14 x 2-3/4	1,000	25	CONHSSCTB*14234	3/16 x 4-1/2	5/16"
1/4-14 x 3-1/4	1,000	29	CONHSSCTB*14314	3/16 x 5-1/2	5/16"
1/4-14 x 3-3/4	500	16	CONHSSCTB*14334	3/16 x 5-1/2	5/16"



Dagger-Guard Coating™ over 410 Stainless Steel.

Phillips Flat . Hi-Low . Sharp



Size	QTY	LBS	DRILL BIT	
3/16-16 x 1-1/4	4,000	30	CONF*0316114	5/32 x 3-1/2 #2
3/16-16 x 1-3/4	2,500	26	CONF*0316134	5/32 x 3-1/2 #2
3/16-16 x 2-1/4	2,500	31	CONF*0316214	5/32 x 4-1/2 #2
3/16-16 x 2-3/4	1,500	23	CONF*0316234	5/32 x 4-1/2 #2
3/16-16 x 3-1/4	1,500	27	CONF*0316314	5/32 x 5-1/2 #2
3/16-16 x 3-3/4	1,000	20	CONF*0316334	5/32 x 5-1/2 #2
3/16-16 x 4	1,000	21	CONF*031640	5/32 x 6-1/2 #2
1/4-14 x 1-1/4	2,500	31	CONF*14114	3/16 x 3-1/2 #3
1/4-14 x 1-3/4	2,000	33	CONF*14134	3/16 x 3-1/2 #3
1/4-14 x 2-1/4	1,500	31	CONF*14214	3/16 x 4-1/2 #3
1/4-14 x 2-3/4	1,000	25	CONF*14234	3/16 x 4-1/2 #3
1/4-14 x 3-1/4	1,000	29	CONF*14314	3/16 x 5-1/2 #3
1/4-14 x 3-3/4	500	16	CONF*14334	3/16 x 5-1/2 #3
1/4-14 x 4	500	20	CONF*1440	3/16 x 6-1/2 #3
1/4-14 x 5	500	24	CONF*1450	3/16 x 7-1/2 #3
1/4-14 x 6	500	26	CONF*1460	3/16 x 7-1/2 #3

MIAMI-DADE COUNTY
APPROVED

Dagger-Con™ concrete screws are Miami-Dade County Product Control Approved under NOA-No. 22-0302.02.



Concrete screw packs also available in boxes of 100 pcs with drill bit.

Star Flat Slim-Fit . Hi-Low . Sharp



Size	QTY	LBS	DRILL BIT	
1/4-14 x 1-1/4	2,500	31	CONFSSCTB*14114	3/16 x 3-1/2 T-25
1/4-14 x 1-3/4	2,000	33	CONFSSCTB*14134	3/16 x 3-1/2 T-25
1/4-14 x 2-1/4	1,500	31	CONFSSCTB*14214	3/16 x 4-1/2 T-25
1/4-14 x 2-3/4	1,000	25	CONFSSCTB*14234	3/16 x 4-1/2 T-25
1/4-14 x 3-1/4	1,000	29	CONFSSCTB*14314	3/16 x 5-1/2 T-25


Dagger-Guard Coating™ over 410 Stainless Steel.

NEEDLE POINT



Slotted Hex Washer Head . Pierce Point

Size	QTY	LBS	Zinc	
7-16 x 1/2	10,000	31	NDLZ07012	1/4"
8-15 x 1/2	10,000	32	NDLZ08012	1/4"
8-15 x 3/4	10,000	42	NDLZ08034	1/4"
8-15 x 1	8,000	39	NDLZ08100	1/4"
8-15 x 1-1/4	5,000	30	NDLZ081104	1/4"
8-15 x 1-1/2	5,000	34	NDLZ08112	1/4"
8-15 x 2	3,000	27	NDLZ08200	1/4"
10-12 x 1/2	8,000	45	NDLZ10012	5/16"
10-12 x 3/4	6,000	33	NDLZ10034	5/16"
10-12 x 1	5,000	34	NDLZ1010	5/16"
10-12 x 1-1/2	3,000	28	NDLZ10112	5/16"
10-12 x 2	2,500	29	NDLZ1020	5/16"
10-12 x 3	1,500	25	NDLZ1030	5/16"
12-11 x 1	5,000	47	NDLZ1210	5/16"
12-11 x 1-1/2	3,000	37	NDLZ12112	5/16"
12-11 x 2	2,500	40	NDLZ1220	5/16"
12-11 x 3	1,500	35	NDLZ1230	5/16"



DAGGER-ZIP

High Hex Washer Head . Ultra Fine . Pierce Point

Size	QTY	LBS	Zinc	HEAD HEIGHT	
8-32 x 1/2	8,000	27	DZZ08012	.139 - .155	1/4"
10-24 x 3/4	5,000	39	DZZ10034	.172 - .190	5/16"





SHEET METAL

1/4" 

Hex Washer Head . Sharp Point . with Serrations

Size	QTY	LBS	Zinc		
8-15 x 1/2	15,000	49	SMZ080012	SMCT080012WHT	SMCT080012BRZ
8-15 x 3/4	10,000	42	SMZ08034	SMCT08034WHT	SMCT08034BRZ
8-15 x 1	8,000	40	SMZ08100	SMCT08100WHT	SMCT08100BRZ
8-15 x 1-1/2	5,000	35	SMZ08112	-	-
10-12 x 1/2	10,000	39	SMZ100128	SMCT100128WHT	SMCT100128BRZ
10-12 x 3/4	7,500	38	SMZ100348	SMCT100348WHT	SMCT100348BRZ
10-12 x 1	6,000	39	SMZ10108	SMCT10108WHT	SMCT10108BRZ
10-12 x 1-1/2	3,500	32	SMZ101128	SMCT101128WHT	SMCT101128BRZ
10-12 x 2	2,500	30	SMZ10208	SMCT10208WHT	SMCT10208BRZ
10-12 x 3	1,500	24	SMZ10308	SMCT10308WHT	SMCT10308BRZ
10-12 x 4	1,000	23	SMZ10408	SMCT10408WHT	SMCT10408BRZ

Hex Washer Head . Sharp Point . with Aluminum Washer



Size	QTY	LBS			
8-15 x 3/4	3,000	21	NEOASMCT08034	1/4"	3/4"





Hex Washer Head . #2 Point

Size	QTY	LBS	Zinc			
8-18 x 1/2	10,000	33	SDZ080012	SDCT080012WHT	SDCT080012BRZ	1/4"
8-18 x 9/16*	10,000	43	SDZ08001916	SDCT08001916WHT	SDCT08001916BRZ	1/4"
8-18 x 3/4	10,000	46	SDZ08034	SDCT08034WHT	SDCT08034BRZ	1/4"
8-18 x 1	7,500	39	SDZ08100	SDCT08100WHT	SDCT08100BRZ	1/4"

**with serrations under head*

Hex Washer Head . #3 Point

10-16 x 3/4*	7,000	43	SDZ100348	SDCT100348WHT	SDCT100348BRZ	1/4"
10-16 x 3/4	7,000	36	SDZ10034	SDCT10034WHT	SDCT10034BRZ	5/16"
10-16 x 1	5,000	37	SDZ1010	SDCT1010WHT	SDCT1010BRZ	5/16"
10-16 x 1-1/2	3,000	31	SDZ10112	SDCT10112WHT	SDCT10112BRZ	5/16"
10-16 x 2	2,000	26	SDZ1020	SDCT1020WHT	SDCT1020BRZ	5/16"
12-14 x 3/4	5,000	39	SDZ12034	SDCT12034WHT	SDCT12034BRZ	5/16"
12-14 x 1	3,500	34	SDZ1210	SDCT1210WHT	SDCT1210BRZ	5/16"
12-14 x 2	2,000	33	SDZ1220	SDCT1220WHT	SDCT1220BRZ	5/16"
14-14 x 3/4	3,500	44	SDZ14034	SDCT14034WHT	SDCT14034BRZ	3/8"
14-14 x 1	2,500	37	SDZ1410	SDCT1410WHT	SDCT1410BRZ	3/8"
14-14 x 2	1,500	36	SDZ1420	SDCT1420WHT	SDCT1420BRZ	3/8"

Hex Washer Head . #2 Point . with Aluminum Washer


Size	QTY	LBS			
8-18 x 3/4	3,000	22	NEOASDCT08034	1/4"	3/4"






BITS & WASHERS

Bit Tips




Size		Size		
T-15	BITST15	#1	BITP11	-
T-20	BITST20	#2	BITP21	BITSQ21
T-25	BITST25	#2 Reduced	BITP21R	-
T-27	BITST27	#3	BITP31	-

Power Bits



Size		
#1 x 2"	-	BITSQ12
#2 x 2"	BITPP22	BITSQ22
#2 x 3"	BITPP23	BITSQ23
#2 x 4"	BITPP24	-
#2 x 6"	BITPP26	BITSQ26
#3 x 2"	BITPP32	-

Magnetic Drivers



Size		Bit Holder
1/4 x 1-3/4	BITH025134	-
1/4 x 2-1/2	BITH025212	-
1/4 x 3	-	BITM143
5/16 x 1-3/4	BITH031134	-
5/16 x 2-1/2	BITH031212	-
3/8 x 1-3/4	BITH038134	-
3/8 x 2-1/2	BITH038212	-

EPDM Bonded Washers



Size	Aluminum	Galvanized	18-8 Stainless
8-10 x 1/2	-	NEOWG1012	NEOWS1012
8-10-12 x 3/4	NEOWA08034	-	-
10-12-14 x 1-1/2	NEOWA14112	-	-
12 x 9/16	-	NEOWG120916	NEOWS120916
14 x 5/8	-	NEOWG1458	NEOWS1458

EPDM rubber provides durability and resistance against high temperatures.

THREADED ROD



	2 FT			3 FT			6 FT			10 FT			12 FT		
Size	QTY	FT	LBS	QTY	FT	LBS	QTY	FT	LBS	QTY	FT	LBS	QTY	FT	LBS
1/4-20	50	100	12	50	150	18	50	300	36	50	500	60	50	-	-
5/16-18	-	-	-	35	105	20	35	210	40	35	350	68	35	-	-
3/8-16	25	50	14	25	75	21	25	150	43	25	250	72	25	300	87
7/16-14	-	-	-	17	51	20	17	102	40	-	-	-	-	-	-
1/2-12	12	24	12	12	36	18	12	72	36	12	120	62	12	144	75
5/8-11	8	16	13	8	24	20	8	48	40	8	80	66	8	96	80
3/4-10	5	10	12	5	15	18	5	30	36	5	50	61	5	60	73
7/8-9	-	-	-	4	12	20	4	24	40	4	40	67	4	48	81
1-8	-	-	-	2	6	13	2	12	26	2	20	44	2	24	52
1-1/8-7	-	-	-	1	3	8	1	6	16	1	10	28	1	12	33
1-1/4-7	-	-	-	1	3	10	1	6	20	1	10	35	1	12	42
1-1/2-6	-	-	-	1	3	15	1	6	30	1	10	50	1	12	60

Packed and sold in bundle quantities. 25 bundles per master crate.



Plain




Zinc



Galvanized



304 Stainless Steel





Recommendation and Performance Data — *Self Drilling*

IDENTIFICATION			RECOMMENDATION			PERFORMANCE		
Diameter	Drive	Drill Point	Inches	Metal Gauge	Drill Speed	Material	Axial Load	Drill Time
#6	1/4"	#2	.033" - .112"	20-12	2500 RPM	0.062"	30 LBS	2.5 SEC
#8	1/4"	#2	.033" - .112"	20-12	2500 RPM	0.062"	30 LBS	3.0 SEC
#10	5/16"	#2	.033" - .112"	20-12	2500 RPM	0.062"	35 LBS	3.5 SEC
#10	1/4"	#3	.033" - .112"	20-12	2500 RPM	0.062"	35 LBS	3.5 SEC
#10	5/16"	#3	.110" - .175"	12-8	2500 RPM	0.062"	35 LBS	3.5 SEC
#12	5/16"	#2 pilot	.033" - .210"	20-6	2500 RPM	0.062"	35 LBS	3.5 SEC
#12	5/16"	#3	.110" - .210"	12-6	1800 RPM	0.062"	45 LBS	4.0 SEC
#12	5/16"	#4	.175" - .290"	8-000	1500 RPM	0.375"	60 LBS	16.0 SEC
#12	5/16"	#5	.175" - .500"	8-0000000	1500 RPM	0.500"	60 LBS	30.0 SEC
#14	3/8"	#1 stitch	.033" - .110"	20-12	1500 RPM	0.062"	50 LBS	5.0 SEC
#14	3/8"	#3	.110" - .220"	12-3	1800 RPM	0.062"	45 LBS	5.0 SEC
#14	3/8"	#5	.175" - .500"	8-0000000	1500 RPM	0.500"	60 LBS	30.0 SEC

Drilling capabilities may vary.

TOP VALUE: Tension (Pull Out) LBS

BOTTOM VALUE: Shear (Bearing) LBS

Ultimate Value Chart — *Self Drilling*

METAL GAUGE THICKNESS

Diameter	Nominal Screw Diameter	Drill Point	Min. Torsional Strength	20	18	16	14	12	1/8"	3/16"	1/4"
6-20	0.138	#2	24 LBS	263	426	598	911	1156	-	-	-
				683	726	1091	1148	-	-	-	-
8-18	0.164	#2	42 LBS	248	431	465	600	743	-	-	-
				583	876	1030	1340	944	-	-	-
10-16	0.190	#3	61 LBS	234	344	482	614	928	-	-	-
				639	924	1195	1443	1257	-	-	-
12-14	0.216	#3	92 LBS	227	360	480	669	904			-
				650	960	1280	1672	2191	-	-	-
12-24	0.216	#5	92 LBS	-	-	-	-	904	1666	2782	3123
				-	-	-	-	2757	4227	6324	8457
1/4-14	0.250	#1	156 LBS	287	407	537	683	873	1769	2537	-
				644	995	1381	1698	2295	-	-	-
1/4-14	0.250	#3	156 LBS	287	407	537	683	873			-
				644	995	1381	1698	2295	-	-	-
1/4-20	0.250	#5	150 LBS	-	-	-	-	873	1713	2843	3814
				-	-	-	-	3189	4893	7320	9789

Information listed above is intended as a guide and does not constitute a warranty of any kind.



Ultimate Value Chart — *Drywall, Deck, and Wood Working*

TOP VALUE: Tension (Pull Out) LBS
BOTTOM VALUE: Shear (Bearing) LBS

METAL GAUGE / WOOD THICKNESS

Thread Type	Diameter	Min. Torsional Strength	25	22	20	2 x 4 Redwood	3/4" Particle Board	2 x 4 Fir
Fine	#6	24 LBS	165	245	349	-	-	-
			410	601	620	-	-	-
Fine	#7	30 LBS	172	260	358	-	-	-
			412	625	628	-	-	-
Fine	#8	39 LBS	149	196	367	-	-	-
			337	591	829	-	-	-
Fine	#10	56 LBS	173	-	397	-	-	-
			363	-	834	-	-	-
Coarse	#6	24 LBS	-	-	-	318	284	424
			-	-	-	-	-	-
Coarse	#7	30 LBS	-	-	-	273	298	465
			-	-	-	-	-	-
Coarse	#8	39 LBS	-	-	-	518	290	540
			-	-	-	-	-	-
Coarse	#10	56 LBS	-	-	-	587	388	563
			-	-	-	-	-	-


Plating Comparison Chart

All Salt Spray Certification in accordance with ASTM B117.

Finish	Application	Corrosion Resistance	Advantages
Zinc 	Minimum corrosion applications for all fasteners	24 Hour Salt Spray	Low cost
Phosphate 	Interior drywall applications	48 Hour Salt Spray	Low cost
Yellow Zinc 	Furniture & cabinets	up to 180 Hour Salt Spray	Low cost Appearance Easier drive
Dacromet 	Outdoor wood decking & fences	500 Hour Salt Spray	Longer life with acid resistance Base coat adds extra protection
Dagger-Guard Coating™ 	Exterior applications, metal building, wood decking, cement board, concrete and masonry	1000 Hour Salt Spray	Excellent corrosion resistance against gas, salt water, scratches, weather, and contact with other metals
Dagger Ultra-Guard Coating™ 	ACQ treated lumber	1000 Hour Salt Spray	Superior corrosion resistance specifically in ACQ treated lumber




Attachment Ranges for Typical Applications *Phillips Thin Wafer Head #3 Point*



Size	Attachment Range to Steel Framing	Material Thickness Range
10-24 x 3/4	1/4" Facia, Wood, Roofing, or Plywood	.110 - .175
10-24 x 1	1/4" - 3/8" Facia, Wood, Roofing, or Plywood	.110 - .175
10-24 x 1-1/4	1/4" - 1/2" Facia, Wood, Roofing, or Plywood	.110 - .175
10-24 x 1-1/2	1/4" - 1/2" Facia, Wood, Roofing, or Plywood	.110 - .175
10-24 x 1-7/16 with wings	5/8" - 3/4" Wood or Plywood	.110 - .175

Phillips or Star Flat Head #4 Point with Wings



Size	Attachment Range to Steel Framing	Material Thickness Range
12-24 x 1-5/8	3/4" - 7/8" Wood or Plywood	.125 - .375
12-24 x 2	3/4" - 1-1/8" Wood or Plywood	.125 - .375
12-24 x 2-1/2	3/4" - 1-1/2" Wood or Plywood	.125 - .375
1/4-20 x 2-3/4	3/4" - 1-5/8" Wood or Plywood	.125 - .375
1/4-20 x 3	3/4" - 1-3/4" Wood or Plywood	.125 - .375
1/4-20 x 3-1/4	3/4" - 2-1/8" Wood or Plywood	.125 - .375
1/4-20 x 3-1/2	3/4" - 2-1/2" Wood or Plywood	.125 - .375
1/4-20 x 3-3/4	3/4" - 2-5/8" Wood or Plywood	.125 - .375

Screw Size

Nominal Size	Basic Screw Diameter
#6	0.1380
#8	0.1640
#10	0.1900
#12	0.2160
#14 or 1/4"	0.2500
3/8"	0.3750



Inch Conversion

Inches	Decimal
1/4"	0.250
3/8"	0.375
1/2"	0.500
5/8"	0.625
3/4"	0.750
7/8"	0.875


STEEL GAUGE	26	25	22	20 (drywall)	20 (structural)	18	16	14	12	10
THICKNESS (IN)	0.0163	0.0179	0.0269	0.0296	0.0329	0.0428	0.0538	0.0677	0.0966	0.1180
THICKNESS (MIL)	16	18	27	30	33	43	54	68	97	118

Metal Stud Gauge Guide


SELF DRILLING




DRYWALL




ACOUSTICAL




ROOFING




WOOD WORKING



DECK



CONCRETE



SHEET METAL & ALUMINUM INDUSTRY



Don't see what you're looking for? We offer many different options and value added services. For more information on our product line, call (888) 241-0203, email sales@daggerz.com, or visit our website at www.daggerz.com.

INTERNATIONAL FASTENERS, INC.

🌐 www.daggerz.com

☎ 888.241.0203

✉ sales@daggerz.com



tampa

1341 Massaro Blvd
Tampa, FL 33619

charlotte

11540-D Cordage St
Charlotte, NC 28273

chicago

3010 Broadmore Dr
Algonquin, IL 60102

dallas

1110 Pamela Dr
Euless, TX 76040

houston

4660 Pine Timbers St #150
Houston, TX 77041

los angeles

1940 S Carlos Ave
Ontario, CA 91761

philadelphia

111 Darby Commons Ct
Folcroft, PA 19032

salt lake city

1511 South 700 West
Salt Lake City, UT 84104

